

CYCLING



PERFORMANCE IN MOTION

EXUSTAR is a leading supplier of bicycle, indoor cycling and motorcycle gear. It is our goal to provide a simpler, more convenient, comfortable and efficient riding experience. Since 2002 we've been committed to the development of new technologies and products, continuously innovating and improving. We place top priority on quality and safety, and all our products are thoroughly tested and, where appropriate, certified. In addition to our own Exustar brand, we work closely with other companies on an ODM or OEM basis, helping them to bring their products successfully to the global market.

WWW.EXUSTAR.COM



2024 CYCLING CATALOGUE

Exustar Enterprise Co. Ltd.

T e l : +886 (0) 4 2693 7999 F a x : +886 (0) 4 2693 8777 Email: exustar@exustar.com
No.111, Aly. 23, Ln. 430, Wang-Fu St., Dadu Dist., Taichung City 432, Taiwan

Specifications subject to change without notice. All other trademarks are the property of their respective owners.
Copyright © 2023 Exustar Enterprise Co. Ltd. All rights reserved.

2024
CATALOGUE



EXUSTAR

EXUSTAR
PERFORMANCE IN MOTION

EXUSTAR

PERFORMANCE IN MOTION

TIMELINE

2002

Exustar Co. Ltd. is established.

2003

Carbon fiber products developed.

2005

The Exustar Pedaling System (EPS) developed.

2006

Exustar enters the motorcycle market with a line of leather boots.

2007

Exustar wins top honors at the Innobike design competition. Titanium pedals begin production.

2009

A breakthrough in lightweight pedal design: 176 g/pr.

2010

Exustar sponsored rider (Hsiao Mei Yu) wins a gold medal at the Asian Games.

2011

Exustar cooperates with Garmin to develop the Vector pedal-based power meter.

2012

Company offers road pedals with different levels of binding tension.

2013

Exustar enters the US market. New state-of-the-art pedal manufacturing facility opens in Taiwan.

2014

Development of a line of exceptionally strong and durable indoor pedals—designed for the rigors of fitness centers.

2015

Exustar moves into a purpose-built facility in Taiwan with state of the art CNC-machining facilities.

2016

Exustar takes indoor cycling to a new level with the toughest, most durable and versatile pedals on the market and an indoor shoe designed for fitness centers.

2017

Exustar moves pedal manufacturing to its own production facility.

2018

The heavy-duty ISX Drive System is developed for indoor cycling.

2019

The Exustar motorcycle and bicycle marketing and sales teams merged into one unified unit.

2020

The company launches Triple Layer Cleat Technology, and a line of road pedals with transparent bodies.

2021


Exustar-sponsored rider Eva Lechner competes at the Tokyo Olympics.

2022

Exustar celebrates 20 years in the bicycle industry.

2023

In the face of the pandemic and economic downturn, Exustar continues to push the boundaries of innovation as well as increasing its promotional drive.



Exustar introduces its performance on cycling.

EXUSTAR is a leading supplier of bicycle, indoor cycling and motorcycle gear. It is our goal to provide a simpler, more convenient, comfortable and efficient riding experience.

Since 2002 we've been committed to the development of new technologies and products, continuously innovating and improving.

We place top priority on quality and safety, and all our products are thoroughly tested and, where appropriate, certified. In addition to our own Exustar brand, we work closely with other companies on an ODM or OEM basis, helping them to bring their products successfully to the global market.



06

Pedals

150

Cleats

170

Shoes

238

Helmets

244

Eyewear

250

Bottle Cages

256

Gloves

268

Clothing

332

Bags

336

Dealer Products

340

Distributors

CONTENT

Cycling



16

Road Pedals

58

MTB Pedals

106

Urban Pedals

144

Rowing Pedals

54

Track Pedals

90

BMX Pedals

110

Indoor Pedals

162

Adapters

PEDALS

Index

PEDAL TECHNOLOGY

BODY MATERIAL & MANUFACTURE



CARBON COMPOSITE BODY

Carbon fiber composite is a strong, lightweight material, an injection molded composite of carbon fiber and nylon.



FORGED ALUMINIUM BODY

Forged aluminum is the strongest pedal body we offer. Forging however, has some limitations shaping pedal bodies. For this reason, they are often further processed with CNC-machines.



ANODIZED BODY

Anodizing provides a protective coating, and is used to colour pedal body.



DIE-CAST ALUMINIUM BODY

Die-casting—a very serviceable technology—allows much freedom in shaping a pedal body.



EXTRUDED ALUMINIUM BODY

Extruding an aluminum pedal body ensures a stronger structure. Extruded aluminum can be anodised in a variety of colours.



CNC MACHINED ALUMINIUM BODY

Often a forged pedal body is CNC-machined to achieve the desired shape and finish. Extruded, CNC-machined aluminum can be anodised in a variety of colours.



MAGNESIUM BODY

A pedal body made of lightweight material.

AXLES



TITANIUM AXLE

Titanium is an extremely light, strong material.




AEROSPACE MATERIAL

Aerospace Material Specification Axle, w/ Sealed cartridge system.



SUPERSIZE AXLES

Supersize axle and anti-loosening axle device. Quad LSL bearings. Available in 4 different lengths.



CRANK SIDE BEARINGS

Large ball bearings built into the pedal body close to the bicycle crank. These allow us to build a pedal platform that is very low profile.



ISXb (HYBRID) AXLE


Oversize axle with ISB drive system.



SUPERSIZE AXLES (ISXs DRIVE SYSTEM)


Available in 4 different lengths.

AXLES & BEARINGS




NEEDLE BEARINGS

Needle bearings are used to reduce friction, and increase contact area, while still allowing a slim axle profile.



OVERSIZED NEEDLE BEARINGS

Large diameter needle bearings are used on pedals with oversized axles (such as indoor pedals, where strength is paramount). Needle bearings are very smooth running.



TRIPLE BEARINGS

Three bearings (LSL bushing, sealed, & needle) placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.



TUBULAR LSL BEARINGS

An integrated bearing-cartridge system that provides full contact support between axle and bearing.


PEDAL TECHNOLOGY

OTHER FEATURES




ABRASION GUARD

Helps prevent cleat abrasion on the pedal body.



EASY TOE IN CLEAT ENGAGEMENT

Allows a wider angle range for easier toe-in engagement.



FULL CONTACT BODY

Increased contact area (62 mm wide) between pedal body and cleat ensures extra power, support, and stability. Interface also enables easier cleat engagement.



ULTRALIGHT

Pedals that weight 240 grams a pair or less.



LOW STACK HEIGHT

A low profile pedal body means a lower stack height (16.3 mm).* This allows greater ground clearance, and increases pedaling efficiency by placing the foot closer to the centreline of the axle.



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.



REPLACEABLE GRIP PINS

Worn or broken pins can be easily replaced.



EASY ENTRY CLEAT BINDING

Our new generation of binding is designed to guide your cleat to the correct position, making easier than ever to get in to clip-in pedals.

ICON GUIDE



ROAD



TIME TRIAL



TRACK



MTB



BMX



URBAN



INDOOR



ALL MOUNTAIN



TOURING



XC



GRAVEL



DOWNHILL



FREERIDE



ENDURO



ROAD

PRO

ADVANCED

EXPERT

COMP

SPORT

ROAD PEDAL LEVEL & USE GUIDE

Use this to help you find pdeals appropiate to your budget and riding style.



SPRINTING



ALL-ROUND



SPRINTING



ALL-ROUND



SPRINTING
ALL-ROUND



CLIMBING
ALL-ROUND



SPRINTING
ALL-ROUND



CLIMBING
ALL-ROUND



ALL-ROUND



CLIMBING



CLIMBING



E-PR4STCK



E-PR3CKTI



E-PR4ST



E-PR4



E-PR2-BK-B



E-PR1



E-PR1AL



E-PR17



E-PR15



E-PR2STCKTI



E-PR3CK



E-PR3ST



E-PR106



E-PR101SL



E-PR50



E-PR2ST



E-PR2CK



E-PR1CK



E-PR105ST



E-PR103ST



Compatible with
Look Keo



Compatible with
Look Delta



Compatible with
Shimano SPD-SL



E-PR75ST



E-PR73ST



E-PR25ST



E-PR23ST



E-PR18CK

ROAD PEDAL SERIES GUIDE

Pedal Series	Interface	Large Contact Area	Enclosed Binding Mechanism
PR-4	EPS-R (Compatible with Look Keo).	•	•
PR-3	EPS-R (Compatible with Look Keo).	•	•
PR-2	EPS-R (Compatible with Look Keo).	•	•
PR-1	EPS-R (Compatible with Look Keo).	•	•
PR-200	EPS-R (Compatible with Look Keo).	•	Some models
PR-201	EPS-R (Compatible with Look Keo).	•	•
PR-105	EPS-R (Compatible with Look Keo).	•	•
PR-103	EPS-R (Compatible with Look Keo).	•	•
PR-17	EPS-R (Compatible with Look Keo).		
PR-73	EPS-R (Compatible with Look Delta).	•	•
PR-25	EPS-SL (Compatible with Shimano SPD-SL).		•
PR-23	EPS-SL (Compatible with Shimano SPD-SL).	•	•
PR-18	EPS-SL (Compatible with Shimano SPD-SL).		•
PR-15	EPS-SL (Compatible with Shimano SPD-SL).	•	•
EPS-M	EPS-M (Compatible with Shimano SPD).		
TRACK	EPS-T Cleats		Some models

Pedal Series	Triple Bearings	Dual Bearings	Tension Gauge	Easy In Cleat Engagement
PR-4		•	•	•
PR-3	•		•	•
PR-2	Some models	•	•	•
PR-1		•	•	
PR-200		•	•	•
PR-201		•	•	•
PR-105		•	•	•
PR-103		•	•	•
PR-17		•	•	
PR-73		•	•	•
PR-25		•	•	•
PR-23		•	•	•
PR-18		•	•	
PR-15		•	•	
EPS-M		•	•	
TRACK		•	Some models	

Pedal Series	Interface
PR-10xx	EPS-R (Compatible with Look Keo).
PR-7x	EPS-R (Compatible with Look Delta).
PR-2x	EPS-SL (Compatible with Shimano SPD-SL).
PR-5x	EPS-M (Compatible with Shimano SPD).
PB-5x	Large surface.
PB-7x	Medium surface.
PM/PC90x	URBAN.
PM2x	Double-sided with EPS-M (Compatible with Shimano SPD).
PM8x	Large surface or single-sided with (Compatible with Shimano SPD).

MTB

PRO

EXPERT

COMP

SPORT

INDOOR

ADVANCED

EXPERT



Compatible with Shimano SPD

72

E-PM222Ti

62

E-PM835

73

E-PM230-BL

64

E-PM242

66

E-PM244

68

E-PM245

75

E-PM228

78

E-PM825

74

E-PM215+

74

E-PM213

70

E-PM239

76

E-PM823

76

E-PM824

84

E-PM833

85

E-PM832

88

E-PM827

77

E-PM820

89

E-PM86

81

E-PM831

86

E-PM811

87

E-PM816



Compatible with Look Keo / Delta



Compatible with Shimano SPD

133

E-PS816-C8

118

E-PS7

119

E-PS7SSP

120

E-PS8

121

E-PS8SSP

122

E-PS9

134

E-PS817-C8

123

E-PS10

124

E-PS11

125

E-PS11SSP

126

E-PS12

127

E-PS12SSP

139

E-PS816SA-C8

128

E-PS13

129

E-PS13SSP

130

E-PS207

131

E-PS207SSP

132

E-PS815-C8

138

E-PS9SA

138

E-PS10SA

139

E-PS11SA



145

E-PS11 ISXs

145

E-PS9 ISXs



142

E-PS817-C8 ISXb

143

E-PS7 ISXb



EPS-T Cleats

55

E-PT12+

56

E-PR107TK

BMX

ADVANCED

EXPERT

SPORT

93

E-PB577

94

E-PB572

95

E-PB573

92

E-PB576

96

E-PB74

100

E-PB562

104

E-PB555

105

E-PB557

97

E-PB569

98

E-PB570

99

E-PB571

101

E-PB73

102

E-PB525

OUTDOOR

ADVANCED

EXPERT

TRACK

EXPERT

URBAN

SPORT

108

E-PC951

110

E-PC950

111


E-PC945



Pedals
ROAD



PR4
SERIES



1 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

2 TUBULAR LSL BEARINGS

An integrated bearing-cartridge system that provide full contact support between axle and bearing.

3



FULL CONTACT AREA

Increased contact between pedal body and cleat ensures extra power, support, and stability.



/ PR4 Contact Area /
PR4 Series contact area
Standard pedals contact area

4



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.

5



LOW STACK HEIGHT

A low profile pedal body means a lower stack height (16.3 mm)*. This allows greater ground clearance, and increases pedaling efficiency by placing the foot closer to the centreline of the axle.

* Stack height is the distance from the bottom of the shoe sole to the centreline of the pedal axle.



Option



E-PR4STCKTi



Low stack height

A low profile pedal body means a lower stack height (16.3 mm). This allows greater ground clearance, and increases pedaling efficiency by placing the foot closer to the centreline of the axle.



Tubular LSL bearings

An integrated bearing-cartridge system that provides full contact support between axle and bearing.

E-PR4STCK **PRO**

CARBON COMPOSITE FULL CONTACT ROAD PEDALS

A carbon fiber composite pedal featuring a CNC Cr-Mo axle, an extra tough yet slimline tubular LSL bearings, and an abrasion guard. A gauge makes precise binding tension adjustment easy.

- Low stack height
- Tubular LSL bearings
- Carbon composite body
- Abrasion guard
- Tension gauge



Interface EPS-R (Compatible with Look Keo).

Body Low stack height (16.3 mm), Full contact, carbon fiber-nylon composite, with stainless steel abrasion guard.

Axle Heat-treated, CNC-machined Cr-Mo (cartridge).

Bearings Tubular LSL bearings (integrated cartridge).

Bindings Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.

Cleats E-ARCR2

Size 85 x 88 mm

Compatible with Exustar road shoes, other 3 bolt hole shoes.



Option



E-PR4STTi

225 g/pr

E-PR4ST **ADVANCED**

FULL CONTACT ROAD PEDALS

A pedal built with quality materials. It features a strong, low stack height thermoplastic body, an abrasion guard, a Cr-Mo axle, tubular LSL bearings, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Low stack height
- Tension gauge
- Tubular LSL bearings



Interface EPS-R (Compatible with Look Keo).

Body Low stack height (16.3 mm), full contact, engineering thermoplastic with stainless steel abrasion guard.

Axle Heat-treated, CNC-machined Cr-Mo (plastic cartridge).

Bearings Tubular LSL bearings (integrated cartridge).

Bindings Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.

Cleats E-ARCR2

Size 85 x 88 mm

Compatible with Exustar road shoes, other 3 bolt hole shoes.



263 g/pr

E-PR4 **ADVANCED**

FULL CONTACT ROAD PEDALS

A pedal built with quality materials. It features a strong, low stack height thermoplastic body, a Cr-Mo axle, tubular LSL bearings, and a gauge makes precise binding tension adjustment easy.

- Low stack height
- Tubular LSL bearings
- Tension gauge



Interface EPS-R (Compatible with Look Keo).

Body Low stack height (16.3 mm), full contact, engineering thermoplastic.

Axle Heat-treated, CNC-machined Cr-Mo (plastic cartridge).

Bearings Tubular LSL bearings (integrated cartridge).


Bindings Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.

Cleats E-ARCR2

Size 85 x 88 mm

Compatible with Exustar road shoes, other 3 bolt hole shoes.

PR3
SERIES



1 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

2 TRIPLE BEARINGS

Three bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal mechanism.

3



EASY IN CLEAT ENGAGEMENT

Allows a wide angle range for easier toe-in engagement.

4



FULL CONTACT AREA

Increased contact between pedal body and cleat ensures extra power, support, and stability.

/ PR3 Contact Area /
— PR3 Series contact area
— Standard pedals contact area

5



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.



250 g/pr



TiN-coated

Titanium Axle
Titanium is an extremely light, strong material.



Tension Gauge
Integral binding tension indicator makes it easy for riders to set and adjust tension.

E-PR3CKTI **PRO**

CARBON COMPOSITE FULL CONTACT ROAD PEDALS

A carbon fiber composite pedal featuring a CNC titanium axle, an extra-tough yet slimline triple bearing mechanism, and an abrasion guard. High tension bindings are ideal for sprinting. A gauge makes precise binding tension adjustment easy.

- Carbon composite body
- Titanium axle
- Extra-tough, durable triple bearings
- High tension bindings
- Abrasion guard
- Tension gauge



Interface	EPS-R (Compatible with Look Keo).
Body	Full contact, carbon fiber-nylon composite, with stainless steel abrasion guard.
Axle	CNC-machined titanium TiN coated (cartridge).
Bearings	LSL bushing, sealed, & needle.
Binding	Carbon fiber-nylon composite, enclosed mechanism tension adjustable (high tension springs: up to 180 kgf/cm) with gauge.
Cleats	E-ARCR2
Size	86 x 90 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	



299 g/pr



E-PR3CK **ADVANCED**

CARBON COMPOSITE FULL CONTACT ROAD PEDALS

A carbon fiber composite pedal featuring a CNC Cr-Mo axle, an extra-tough yet slimline triple bearing mechanism, and an abrasion guard. High tension bindings are ideal for sprinting. A gauge makes precise binding tension adjustment easy.

- Carbon composite body
- Extra-tough, durable triple bearings
- High tension bindings
- Abrasion guard
- Tension gauge



Interface	EPS-R (Compatible with Look Keo).
Body	Full contact, carbon fiber-nylon composite, with stainless steel abrasion guard.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing, sealed, & needle.
Bindings	Carbon fiber-nylon composite, enclosed mechanism, tension adjustable (high tension springs: up to 180 kgf/cm) with gauge.
Cleats	E-ARCR2
Size	86 x 90 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	



312 g/pr

E-PR3ST **ADVANCED**

FULL CONTACT ROAD PEDALS


Durable thermoplastic pedal featuring a CNC Cr-Mo axle, an extra-tough yet slimline triple bearing mechanism, and an abrasion guard. High tension bindings are ideal for sprinting. A gauge makes precise binding tension adjustment easy.

- Extra-tough, durable triple bearings
- High tension bindings
- Abrasion guard
- Tension gauge



Interface	EPS-R (Compatible with Look Keo).
Body	Full contact, engineering thermoplastic, with stainless steel abrasion guard.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing, sealed, & needle.
Binding	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable (high tension springs: up to 180 kgf/cm) with gauge.
Cleats	E-ARCR2
Size	86 x 90 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	

PR2
SERIES



1 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

2 TRIPLE BEARINGS

Three bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal mechanism.

3



EASY IN CLEAT ENGAGEMENT

Allows a wide angle range for easier toe-in engagement.

4



FULL CONTACT AREA

Increased contact between pedal body and cleat ensures extra power, support, and stability.

/ PR2 Contact Area /
— PR2 Series contact area
— Standard pedals contact area

5



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.



E-PR2STCKTI **PRO**
CARBON COMPOSITE FULL CONTACT ROAD PEDALS

A carbon fiber composite pedal featuring a titanium axle, an extra-tough yet slimline triple bearing mechanism, and an abrasion guard. High tension bindings are ideal for sprinting. A gauge makes precise binding tension adjustment easy.

- Carbon composite body
- Titanium axle
- Extra-tough, durable triple bearings
- High tension bindings
- Abrasion guard
- Tension gauge



Interface	EPS-R (Compatible with Look Keo).
Body	Full contact, carbon fiber-nylon composite, with stainless steel abrasion guard.
Axle	CNC-machined titanium TiN coated (cartridge).
Bearings	LSL bushing, sealed, & needle.
Bindings	Carbon fiber-nylon composite, enclosed mechanism, tension adjustable with gauge.
Cleats	E-ARCR2
Size	86 x 89 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	



E-PR2ST **ADVANCED**
FULL CONTACT ROAD PEDALS

A durable thermoplastic pedal featuring a machined Cr-Mo axle, an extra-tough yet slimline triple bearing mechanism, and an abrasion guard.

- Extra-tough, durable triple bearings
- Abrasion guard
- Tension gauge



Interface	EPS-R (Compatible with Look Keo).
Body	Full contact, engineering thermoplastic with stainless steel abrasion guard.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing, sealed, & needle.
Bindings	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable.
Cleats	E-ARCR2
Size	86 x 89 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	



E-PR2CK **ADVANCED**
CARBON COMPOSITE, FULL CONTACT ROAD PEDALS

A pedal built with high end materials. It features a strong, featherlight carbon fiber composite body and binding, and a Cr-Mo axle on a slimline dual bearing system. The setup is rounded out with an enclosed mechanism to keep out grit, and a handy gauge makes binding precise tension adjustment easy.

- Carbon composite body & binding
- Enclosed mechanism
- Tension gauge



Interface	EPS-R (Compatible with Look Keo).
Body	Full contact, carbon fiber-nylon composite.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Bindings	Carbon fiber-nylon composite, enclosed mechanism, tension adjustable with gauge.
Cleats	E-ARCR2
Size	86 x 89 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	



"one of the best
you can buy."
– Bike Radar

E-PR2-BK-B **EXPERT**
FULL CONTACT ROAD PEDALS

A pedal built with quality materials. It features a strong, thermoplastic body, and a Cr-Mo axle on a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Tension gauge.



Interface	EPS-R (Compatible with Look Keo).
Body	Full contact, engineering thermoplastic.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Bindings	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
Cleats	E-ARCR2
Size	86 x 89 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	

Color Options





1 DURABLE BEARINGS

Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

2



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.




253 g/pr

Option



203 g/pr

E-PR1CKTi



Tension Gauge
Integral binding tension indicator makes it easy for riders to set and adjust tension.

E-PR1CK **ADVANCED**
CARBON COMPOSITE ROAD PEDALS

A pedal built with high-end materials. It features a strong, carbon fiber composite body and binding, and a Cr-Mo axle on a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Carbon composite body & binding
- Tension gauge



Interface	EPS-R (Compatible with Look Keo).
Body	Carbon fiber-nylon composite.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Binding	Carbon fiber-nylon composite, enclosed mechanism, tension adjustable with gauge.
Cleats	E-ARCR2
Size	82 x 82 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	



265 g/pr

E-PR1 **COMP**
ROAD PEDALS

A pedal built with quality materials. It features a strong, thermoplastic body, and a Cr-Mo axle on a slimline dual bearing system.

- Tension gauge



Color Option



E-PR1-WH

Interface	EPS-R (Compatible with Look Keo).
Body	Engineering thermoplastic.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Bindings	Fiber-glass reinforced thermoplastic, enclosed mechanism, tension adjustable.
Cleats	E-ARCR2
Size	82 x 82 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	



289 g/pr

E-PR1AL **COMP**
ROAD PEDALS

A pedal built with quality materials. It features a strong, aluminum body, and a Cr-Mo axle on a slimline dual bearing system.

- Liquid-coated aluminum body
- Tension gauge




Color ption



E-PR1AL-SL

Interface	EPS-R (Compatible with Look Keo).
Body	Liquid-coated surface, aluminum.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Binding	Fiber-glass reinforced thermoplastic, enclosed mechanism, tension adjustable.
Cleats	E-ARCR2
Size	82 x 82 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	

PR105 SERIES NEW



1 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

2 DURABLE BEARINGS

Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.


3



EASY IN CLEAT ENGAGEMENT

Allows a wide angle range for easier toe-in engagement.

4



FULL CONTACT AREA

Increased contact between pedal body and cleat ensures extra power, support, and stability.



5



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.

PATENTED



298 g/pr

Option



E-PR105P

278 g/pr



E-PR105ST ADVANCED

FULL CONTACT ROAD PEDALS

A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Tension gauge



Interface	EPS-R (Compatible with Look Keo).
Body	Full contact, engineering thermoplastic.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Bindings	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
Cleats	E-ARCR3 H1
Size	87 x 92 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	

PR103
SERIES




1 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

2 DURABLE BEARINGS

Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

3



FULL CONTACT AREA

Increased contact between pedal body and cleat ensures extra power, support, and stability.



4



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.

EPS-R (Compatible with Look Keo).

PATENTED



288 g/pr

Option



268 g/pr

E-PR103P



E-PR103ST **ADVANCED**

FULL CONTACT ROAD PEDALS

A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Tension gauge



Interface	EPS-R (Compatible with Look Keo).
Body	Full contact, engineering thermoplastic.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Bindings	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
Cleats	E-ARC10
Size	85 x 87 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	



244 g/pr



E-PR106 **COMP**
FULL CONTACT ROAD PEDALS

A pedal that features strong, thermoplastic body, and a Cr-Mo axle on a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Tension gauge



- Interface EPS-R (Compatible with Look Keo).
- Body Full contact, engineering thermoplastic.
- Axle Heat-treated, CNC-machined Cr-Mo (cartridge).
- Bearings LSL bushing & sealed.
- Bindings Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
- Cleats E-ARC11+
- Size 86 x 89 mm
- Compatible with Exustar road shoes, other 3 bolt hole shoes.

OEM/ODM PRODUCTS available by order.



290 g/pr



E-PR101SL **COMP**
ROAD PEDALS

A pedal built with quality materials. It features a strong, aluminum body, and a Cr-Mo axle on a slimline dual bearing system.



- Interface EPS-R (Compatible with Look Keo).
- Body Hand-polished aluminum.
- Axle Heat-treated, CNC-machined Cr-Mo (cartridge).
- Bearings LSL bushing & sealed.
- Bindings Fiber-glass reinforced thermoplastic, tension adjustable.
- Cleats E-ARC10
- Size 82 x 82 mm
- Compatible with Exustar road shoes, other 3 bolt hole shoes.

OEM/ODM production available.

PR17
PATENTED



328 g/pr



E-PR17 **SPORT**
ROAD PEDALS

An entry-level pedal built with quality materials. It features a strong, aluminum body, and a Cr-Mo axle on a slimline dual bearing system.


- Tension gauge



- Interface EPS-R (Compatible with Look Keo).
- Body Aluminum.
- Axle Heat-treated, CNC-machined Cr-Mo(cartridge).
- Bearings LSL bushing & sealed.
- Bindings Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
- Cleats E-ARC10
- Size 87 x 87 mm
- Compatible with Exustar road shoes, other 3 bolt hole shoes.
- OEM/ODM production available.



PR25
SERIES NEW



1 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

2 DURABLE BEARINGS

Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

3



EASY IN CLEAT ENGAGEMENT

Allows a wide angle range for easier toe-in engagement.

4



FULL CONTACT AREA

Increased contact between pedal body and cleat ensures extra power, support, and stability.



/ PR25 Contact Area /

PR25 Series contact area

Standard pedals contact area

5



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.

PATENTED



297 g/pr

Option



E-PR25P

279 g/pr



E-PR25ST **ADVANCED**

FULL CONTACT ROAD PEDALS


A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Tension gauge



Interface	EPS-SL (Compatible with Shimano SPD-SL)
Body	Full contact, engineering thermoplastic, with stainless steel abrasion guard.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Bindings	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
Cleats	E-RSL3H1
Size	87 x 96 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	

PR23
SERIES NEW



1 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

2 DURABLE BEARINGS

Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

3



EASY IN CLEAT ENGAGEMENT

Allows a wide angle range for easier toe-in engagement.

4



FULL CONTACT AREA

Increased contact between pedal body and cleat ensures extra power, support, and stability.



5



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.

PATENTED



304 g/pr

Option



E-PR23P

287 g/pr



E-PR23ST **ADVANCED**

FULL CONTACT ROAD PEDALS

A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Tension gauge



Interface	EPS-SL (Compatible with Shimano SPD-SL).
Body	Full contact, engineering thermoplastic, with stainless steel abrasion guard.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Bindings	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
Cleats	E-RSL3H1
Size	88 x 94 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	

PR18

PATENTED



296 g/pr

Option



E-PR18CKTI



E-PR18ST



E-PR18STTI



E-PR18CK ADVANCED

CARBON COMPOSITE ROAD PEDALS

A pedal built with quality materials. It features a strong, carbon fiber composite body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Tension gauge



Interface	EPS-SL (Compatible with Shimano SPD-SL).
Body	Carbon fiber-nylon composite, with stainless steel abrasion guard.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Binding	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
Cleats	E-RSL1
Size	Size 84 x 94.5 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	
OEM/ODM production available.	

PR15

PATENTED



324 g/pr



E-PR15 SPORT

FULL CONTACT ROAD PEDALS

A pedal built with quality materials. It features a strong, aluminum body, and a Cr-Mo axle on a slimline dual bearing system.

- Tension gauge



Interface	EPS-SL (Compatible with Shimano SPD-SL).
Body	Full contact, aluminum.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Binding	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
Cleats	E-RSL1
Size	95 x 88 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	

PR75
SERIES NEW



1 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

2 DURABLE BEARINGS

Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.


3



EASY IN CLEAT ENGAGEMENT

Allows a wide angle range for easier toe-in engagement.

4



FULL CONTACT AREA

Increased contact between pedal body and cleat ensures extra power, support, and stability.



5



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.

PATENTED



309 g/pr

Option



E-PR75P

291 g/pr



E-PR75ST **ADVANCED**

FULL CONTACT ROAD PEDALS


A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Tension gauge



Interface	EPS-R (Compatible with Look Delta).
Body	Full contact, engineering thermoplastic, with stainless steel abrasion guard.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Bindings	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
Cleats	E-ARC1H1
Size	87 x 98 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	

PR73 SERIES



1 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

2 DURABLE BEARINGS

Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.


3



EASY IN CLEAT ENGAGEMENT


Allows a wide angle range for easier toe-in engagement.

4



FULL CONTACT AREA

Increased contact between pedal body and cleat ensures extra power, support, and stability.



/ PR73 Contact Area /

PR73 Series contact area

Standard pedals contact area

5



TENSION GAUGE

Integral binding tension indicator makes it easy for riders to set and adjust tension.

PATENTED



298 g/pr

Option



E-PR73P

294 g/pr



E-PR73ST **ADVANCED**

FULL CONTACT ROAD PEDALS


A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Tension gauge



Interface	EPS-R (Compatible with Look Delta).
Body	Full contact, engineering thermoplastic, with stainless steel abrasion guard.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing & sealed.
Bindings	Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.
Cleats	E-ARC1
Size	85 x 94 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	

PR50
SERIES



PATENTED



262 g/pr



E-PR50 COMP

ROAD PEDALS

A pedal with a strong extruded-machined body, is built on a rigid, smooth running mechanism consisting of a machined Cr-Mo axle and a slimline dual bearing system.

- Extruded-machined body



Interface	EPS-M (Compatible with Shimano SPD).
Body	Extruded, CNC-machined 6061 aluminum.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Bindings	Single-sided Cr-Mo, tension adjustable with gauge.
Cleats	E-C05F
Size	82 x 66 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	



PATENTED



402 g/pr



Options



EMM152

Assembled with toe clip (EMM150/151) & toe strap (EMM152).



Complete track set. Pedal, clips, and straps.

E-PT12+ EXPERT

TRACK PEDAL SET

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, dual over-sized sealed bearings. Includes pedal, toe clip and toe strap.

- Rigid, machined aluminum body
- Machined Cr-Mo axle
- Extra-strength over-size sealed bearings
- Tough Cr-Mo cage



Interface	EPS-T.
Body	Extruded, CNC-machined 6061 aluminum.
Cage	CP silver Cr-Mo.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearing	Dual over-sized sealed bearings.
Options	Steel toe clips, laminated leather straps.
Cleats	E-C101 (not supplied).
Size	89 x 66 mm.



360 g/pr



With optional toe straps attached.



E-MM190



EMM152

EMM152 Twin straps for a more secure, comfortable fit. Very strong laminated leather. Stainless steel buckles. 425mm (16 3/4").

E-PR107TK **EXPERT**

TRACK PEDALS

Clip-in pedal designed specifically for track racing, with an option to attach toe straps for extra binding security. It also features a triple bearing mechanism. A gauge makes precise binding tension adjustment easy.

- Toe strap attachment
- Durable triple bearings



Interface	EPS-R (Compatible with Look Keo).
Body	Aluminum, ED black.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	LSL bushing, sealed, & needle.
Binding	Fiberglass-reinforced thermoplastic, tension adjustable.
Cleats	E-BLK11
Size	82 x 82 mm
Compatible with Exustar road shoes, other 3 bolt hole shoes.	



EMM152

TWIN TOE STRAPS

Twin straps for a more secure, comfortable fit.
Very strong laminated leather.
Stainless steel buckles.
425mm (16 3/4")



EMM150



EMM151



EMM150+



EMM151+

EMM150/EMM151/EMM150+/EMM151+

TOE CLIPS

Steel clips / steel clips with leather for track racing.
M: Euro Mens 37-42
 EMM150 (36g/pc) / EMM150+(41g/pc)
L: Euro Mens 43-46
 EMM151(40g/pc) / EMM151+(45g/pc)



CHOOSING A MOUNTAIN BIKE PEDAL



GRAVEL PEDALS

These pedals, designed for all-day riding adventures over mixed terrain, have excellent mud discharging abilities and a large contact area.




CROSS COUNTRY (XC) PEDALS

All-round double-sided clip-in mountain bike pedals that are ideal for riding long distances over a variety of off-road terrain.



ENDURO PEDALS

Ideal for the speed and excitement of Enduro racing, these double-sided clip-in pedals have an outer platform, allowing you to easily move between clipped in mode and platform mode when trail conditions change.



ALL-MOUNTAIN PEDALS

Perfect for riding a variety of off-road terrain, these double-sided clip-in pedals have an extra-large outer platform so that you can easily move between clipped in mode and platform mode.



TOURING PEDALS

These pedals, our most versatile with both a clip-in side and a platform side, are the best choice for touring or commuting.



DOWNHILL PEDALS

These tough, double-sided pedals with large platforms and grip pins are built for fast, off-road downhill riding.




FREERIDE PEDALS

Broad, grippy BMX pedals that are built tough for a style of riding that is very individual but usually involves rough vertical slopes, jumping and other stunts.



PM835
SERIES NEW



1 IMPROVED BINDING DESIGN

Allows easy re-positioning of cleat if a rider overshoots the binding while trying to clip in.

2 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

3 TENSION ADJUSTABLE

Double-sided Cr-Mo, tension adjustable.

4 DURABLE BEARINGS

Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

EPS-M (Compatible with Shimano SPD).

PATENTED



SIDE A



SIDE B



E-PM835 EXPERT

DUAL-INTERFACE PEDALS

Dual-interface pedals are ideal for cyclists who enjoy a variety of riding, whether on or off-road. This pedal features a low profile, extruded-machined aluminum body that is highly mud shedding, a large platform on the non-binding side, a machined Cr-Mo axle, anti-slip grip pins, and a slimline dual bearing mechanism.

- Low profile
- Single side cleat-in function
- Extruded-machined aluminum body
- Machined Cr-Mo axle

Interface EPS-M (Compatible with Shimano SPD).

Body Extruded, CNC-machined aluminum, replaceable grip pins, anodized.

Axle Heat-treated, CNC-machined Cr-Mo.

Bearings LSL bushing & sealed.

Bindings Single-sided Cr-Mo, adjustable tension.

Cleats E-C05F

Size 94 x 100 mm

Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.



PM242
SERIES NEW



1 IMPROVED BINDING DESIGN
Allows easy re-positioning of cleat if a rider overshoots the binding while trying to clip in.

2 ABRASION GUARD
Screw-on steel plate prevents cleat abrasion on pedal body.


3 TENSION ADJUSTABLE
Double-sided Cr-Mo, tension adjustable.

4 DURABLE BEARINGS
Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

PATENTED



400 g/pr



E-PM242 COMP

CLIP-IN PEDALS


A pedal featuring an aluminum body, a Cr-Mo axle and slimline dual bearing system.

- Tension gauge



Interface	EPS-M (Compatible with Shimano SPD).
Body	Aluminum.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Bindings	Double-sided Cr-Mo, tension adjustable.
Cleats	E-C05F
Size	89 x 90 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	

PM244
SERIES NEW



1 IMPROVED BINDING DESIGN
Allows easy re-positioning of cleat if a rider overshoots the binding while trying to clip in.

2 ABRASION GUARD
Screw-on steel plate prevents cleat abrasion on pedal body.

3 TENSION ADJUSTABLE
Double-sided Cr-Mo, tension adjustable.

4 DURABLE BEARINGS
Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

PATENTED



E-PM244 COMP
CLIP-IN PEDALS

A pedal featuring an aluminum body, a Cr-Mo axle and slimline dual bearing system.

- Tension gauge



Interface	EPS-M (Compatible with Shimano SPD).
Body	Aluminum.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Bindings	Double-sided Cr-Mo, tension adjustable.
Cleats	E-C05F
Size	82.5 x 64 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	

PM245
SERIES NEW



1 IMPROVED BINDING DESIGN

Allows easy re-positioning of cleat if a rider overshoots the binding while trying to clip in.

2 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

3 TENSION ADJUSTABLE

Double-sided Cr-Mo, tension adjustable.


4 DURABLE BEARINGS

Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

EPS-M (Compatible with Shimano SPD).



384 g/pr



E-PM245 SPORT

CLIP-IN PEDALS


A pedal featuring a thermoplastic body, a Cr-Mo axle and slimline dual bearing system.

- Tension gauge



Interface	EPS-M (Compatible with Shimano SPD).
Body	Engineering thermoplastic.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	DU bushing & sealed.
Bindings	Double-sided Cr-Mo, tension adjustable.
Cleats	E-C05F
Size	86 x 73 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	

PM239
SERIES




1 IMPROVED BINDING DESIGN
Allows easy re-positioning of cleat if a rider overshoots the binding while trying to clip in.

2 ABRASION GUARD
Screw-on steel plate prevents cleat abrasion on pedal body.

3 TENSION ADJUSTABLE
Double-sided Cr-Mo, tension adjustable.

4 DURABLE BEARINGS
Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

PATENTED



Color Option

354 g/pr



E-PM239-BL



Tokyo 2020 Olympics - Women's MTB Race - Izu Mountain Bike Course 41km - 27/07/2021 - Eva Lechner (ITA) - photo Luca Bettini / BettiniPhoto © 2021



Exustar-sponsored rider Eva Lechner competes at the Tokyo Olympics. In celebration, Exustar releases special edition Olympic Games MTB pedals.

E-PM239 COMP

CLIP-IN PEDALS

A pedal featuring a thermoplastic body, with Cr-Mo axle, and LSL bushing & sealed bearings.

- Tension gauge



Interface EPS-M (Compatible with Shimano SPD).

Body Engineering thermoplastic.

Axle Heat-treated, CNC-machined Cr-Mo (cartridge).

Bearings LSL bushing & sealed.

Bindings Double-sided Cr-Mo, tension adjustable.

Cleats E-C05F

Size 85 x 64 mm

Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.



Option
(MOQ 300 pr)



E-PM222TI-BL



E-PM222TI-RD



E-PM222



E-PM222-BL



E-PM222-RD

310 g/pr



E-PM222TI **PRO** CNC-MACHINED CLIP-IN PEDALS

Featuring a strong, extruded, CNC body, this pedal is built on a rigid, smooth running mechanism consisting of a titanium axle and a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Extruded, CNC-machined aluminum body
- Abrasion guard
- Titanium axle
- Tension gauge



Interface	EPS-M (Compatible with Shimano SPD).
Body	Extruded, CNC-machined aluminum, anodized black with stainless steel abrasion guard.
Axle	Heat-treated, CNC-machined titanium axle.
Bearings	Needle & sealed.
Bindings	Double-sided Cr-Mo, tension adjustable with gauge.
Cleats	E-C05F
Size	82.2 x 61.6 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	



324 g/pr




E-PM230-BL **EXPERT** CNC-MACHINED CLIP-IN PEDALS

Featuring a strong, extruded, CNC body, this pedal is built on a rigid, smooth running mechanism consisting of a Cr-Mo axle and a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Extruded, CNC-machined aluminum body
- Tension gauge



Interface	EPS-M (Compatible with Shimano SPD).
Body	Extruded, CNC-machined aluminum body, anodized.
Axle	Heat-treated, CNC-machined Cr-Mo axle.
Bearings	LSL bushing & sealed.
Bindings	Double-sided Cr-Mo, tension adjustable with gauge.
Cleats	E-C05F
Size	82 x 63 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	



296 g/pr



Options



E-PM215+-HBK



E-PM215+

232 g/pr

E-PM215+ **COMP**
FORGED CLIP-IN PEDALS

A pedal featuring a strong, forged aluminum body, and a slimline dual bearing system.

- Forged aluminum body



Interface EPS-M (Compatible with Shimano SPD).
Body Forged aluminum, anodized.
Axle Heat-treated, CNC-machined Cr-Mo.
Bearings LSL bushing & sealed.
Bindings Double-sided pressed steel, tension adjustable.
Cleats E-C01F
Size 81 x 55 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.



324 g/pr



Option



E-PM213-WH

332 g/pr

E-PM213 **COMP**
CLIP-IN PEDALS

A pedal featuring an aluminum body, a Cr-Mo axle and a slimline dual bearing system.

- Liquid-coated aluminum body
- Tension gauge



Interface EPS-M (Compatible with Shimano SPD).
Body Liquid-coated aluminum.
Axle Heat-treated, CNC-machined Cr-Mo.
Bearings LSL bushing & sealed.
Binding Double-sided Cr-Mo, tension adjustable.
Cleats E-C05F
Size 82 x 65 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.



360 g/pr

Option
(MOQ 300 pr)



E-PM228-BL



E-PM228 **EXPERT**
CNC-MACHINED CLIP-IN PEDALS

Featuring a strong, extruded, CNC body, this pedal is built on a rigid, smooth running mechanism consisting of a Cr-Mo axle and a slimline dual bearing system.

- Extruded-machined aluminum body.



Interface EPS-M (Compatible with Shimano SPD).
Body Extruded, CNC-machined aluminum body, anodized black.
Axle Heat-treated, CNC-machined Cr-Mo axle.
Bearings LSL bushing & sealed.
Binding Double-sided Cr-Mo, tension adjustable.
Cleats E-C05F
Size 86 x 90 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.



516 g/pr



E-PM823 **ADVANCED**

CLIP-IN PEDALS

Low profile, extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Low profile
- Extruded-machined aluminum body
- Machined Cr-Mo axle



Interface	EPS-M (Compatible with Shimano SPD).
Body	Extruded, CNC-machined aluminum, replaceable grip pins, anodized.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing, & sealed.
Bindings	Double-sided Cr-Mo, adjustable tension.
Cleats	E-C05F
Size	112.5 x 100.5 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	



498 g/pr



E-PM824 **ADVANCED**

CLIP-IN PEDALS

Low profile, extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Low profile
- Extruded-machined aluminum body
- Machined Cr-Mo axle



Interface	EPS-M (Compatible with Shimano SPD).
Body	Extruded, CNC-machined aluminum, replaceable grip pins, anodized.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Binding	Double-sided Cr-Mo, adjustable tension.
Cleats	E-C05F
Size	112.5 x 101 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	



556 g/pr

Option



E-PM820-1
SIDE A



SIDE B

500 g/pr



E-PM820 **COMP**

CLIP-IN PEDALS (Double-sided binding)

Low profile pedal with a Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.


- Low profile



Interface	EPS-M (Compatible with Shimano SPD).
Body	ED black aluminum, ED black, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Bindings	Double-sided Cr-Mo, adjustable tension.
Cleats	E-C05F
Size	109 x 105mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	

PM825

SERIES



1 ABRASION GUARD

Screw-on steel plate prevents cleat abrasion on pedal body.

2 TENSION ADJUSTABLE

Double-sided Cr-Mo, tension adjustable.

3 DURABLE BEARINGS

Durable bearings placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

4



EASY ENTRY POP-UP BINDING

A pop-up binding for easy cleat engagement.





460 g/pr

Color Options



E-PM825-TRBL E-PM825-TRWH



EASY ENTRY POP-UP BINDING



E-PM825 EXPERT
CLIP-IN PEDALS

A pedal featuring a pop-up binding for easy cleat engagement. This pedal is built on a rigid, smooth running mechanism consisting of a Cr-Mo axle and a slimline dual bearing system.

- Easy entry pop-up binding



Interface	EPS-M (Compatible with Shimano SPD).
Body	Die-cast aluminum body, engineering thermoplastic platform.
Axle	Heat-treated, CNC-machined Cr-Mo axle (cartridge).
Bearings	LSL bushing & sealed.
Binding	Double-sided Cr-Mo, spring-loaded, tension adjustable with gauge.
Cleats	E-C05F
Size	94.5 x 106 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	



503 g/pr

SIDE A



SIDE B

Option

3M Anti-slip replacable patch



503 g/pr

E-PM831-I

E-PM831 SPORT
DUAL-INTERFACE PEDALS

A versatile pedal that features a dual-interface:

1. a clip-in binding on one side for cleated shoes.
2. a simple platform on the other for casual shoe use.



Interface	EPS-M (Compatible with Shimano SPD). Platform.
Body	Aluminum.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Bindings	Single-sided Cr-Mo, tension adjustable.
Cleats	E-C05F
Size	92 x 89 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	



PM833

SERIES



Side A:
A non slip platform for
casual shoe use.



Side B:
A clip-in binding on one side for cleated shoes
(Compatible with Shimano SPD).

1 TRIPLE LAYER PLATFORM

A platform that can be attached to this Dual Interface pedals. It allows ordinary sports shoes to be used with clip-in pedals.

2 TPU PLASTIC

3 ENGINEERING PLASTIC



579 g/pr



E-PM833 **ADVANCED**
TRIPLE-INTERFACE PEDALS


Versatile pedal featuring a triple-interface: 1. a clip-in binding on one side for cleated shoes, and on the other, 2. a non slip platform for casual shoe use. Equipped with an aluminum body, Cr-Mo axle, and LSL bushing & sealed bearings.



- Interface EPS-M (Compatible with Shimano SPD), Platform.
- Body Aluminum.
- Axle Heat-treated, CNC-machined Cr-Mo.
- Bearings LSL bushing & sealed.
- Binding Single-sided Cr-Mo.
- Cleats E-C05F
- Other Reflectors included.
- Size 97 x 75 mm (w/o toe clip)
- Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.



542 g/pr



E-PM832 **ADVANCED**
TRIPLE-INTERFACE PEDALS

Versatile pedal featuring a triple-interface: 1. a clip-in binding on one side for cleated shoes, and on the other, 2. a non slip platform for casual shoe use. Equipped with an aluminum body, Cr-Mo axle, and LSL bushing & sealed bearings.



- Interface EPS-M (Compatible with Shimano SPD), Platform.
- Body Aluminum.
- Axle Heat-treated, CNC-machined Cr-Mo.
- Bearings LSL bushing & sealed.
- Bindings Single-sided Cr-Mo.
- Cleats E-C05F
- Other Reflectors included.
- Size 97 x 75 mm (w/o toe clip)
- Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.



SIDE A



SIDE B

333 g/pr

E-PM811 SPORT

DUAL-INTERFACE PEDALS

A versatile pedal that features a dual-interface: 1. a clip-in binding on one side for cleated shoes, and, 2. a simple platform on the other for casual shoe use. Equipped with a thermoplastic body, Cr-Mo axle, and LSL bushing & sealed bearings.



- Interface EPS-M (Compatible with Shimano SPD), Platform.
- Body Engineering thermoplastic.
- Axle Heat-treated, CNC-machined Cr-Mo (cartridge).
- Bearings LSL bushing, & sealed.
- Bindings Single-sided Cr-Mo, tension adjustable.
- Cleats E-C05F
- Size 95 x 83 mm
- Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.



SIDE A



SIDE B

334 g/pr

E-PM816 EXPERT

DUAL-INTERFACE PEDALS

A versatile pedal that features a dual-interface: 1. a clip-in binding on one side for cleated shoes, and, 2. a simple platform on the other for casual shoe use. Equipped with a thermoplastic body, Cr-Mo axle, and LSL bushing & sealed bearings.



- Interface EPS-M (Compatible with Shimano SPD), Platform.
- Body Engineering thermoplastic.
- Axle Heat-treated, CNC-machined Cr-Mo (cartridge).
- Bearings LSL bushing & sealed.
- Binding Single-sided Cr-Mo, tension adjustable.
- Cleats E-C05F
- Size 100 x 95 mm
- Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.



SIDE A

SIDE B



E-PM827 EXPERT

DUAL-INTERFACE PEDALS

Low profile, extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Low profile
- Single side cleat-in function
- Extruded-machined aluminum body
- Machined Cr-Mo axle



Interface	EPS-M (Compatible with Shimano SPD).
Body	Extruded, CNC-machined aluminum, replaceable grip pins, anodized.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	Tubular LSL bearings (integrated cartridge).
Binding	Single-sided Cr-Mo, adjustable tension.
Cleats	E-C05F
Size	108.5 x 100 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	

MULTI FUNCTION series



SIDE A

SIDE B

E-PM86 COMP

TRIPLE-INTERFACE PEDALS

Versatile pedal featuring a triple-interface: 1. a clip-in binding on one side for cleated shoes, and on the other, 2. a simple platform for casual shoe use, 3. or add a toe clip and cage to the platform for increased pedaling efficiency. Equipped with an aluminum body and cage, Cr-Mo axle, and LSL bushing & sealed bearings.




Interface	EPS-M (Compatible with Shimano SPD), Platform + Toe clip.
Body	Aluminum.
Cage	Aluminum, black anodized.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Bindings	Single-sided Cr-Mo.
Cleats	E-C05F
Other	Toe clip and strap attachable. Reflectors included.
Size	105 x 66 mm
Compatible with Exustar 2 bolt shoes, other 2 bolt hole shoes.	



Pedals
BMX





387 g/pr

E-PB576-IG

Color Options



E-PB576 **SPORT**
BMX PEDALS

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Extruded, CNC-machined body



Body	6061 aluminum, CNC-machined body, anodized, replaceable anti-slip grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Size	102 x 100 mm.



394 g/pr

Color Options



E-PB577 **EXPERT**
CNC-MACHINED BMX PEDALS

Low stack height, Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, replaceable anti-slip grip pins and a slimline dual bearing mechanism.

- Low stack height
- Extruded, CNC-machined body




Body	Low stack height, 6061 aluminum, CNC-machined body, anodized, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Size	113 x 105 mm




413 g/pr

Color Options




E-PB572-CMBL



E-PB572-CMGR



E-PB572



E-PB572-BL



E-PB572-RD



E-PB572-CMBK **EXPERT**

CNC-MACHINED BMX PEDALS

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Extruded, CNC-machined body



Body	6061 aluminum, CNC-machined body, anodized, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Size	117 x 116mm



388 g/pr

Color Options



E-PB573-BL



E-PB573-RD



E-PB573 **EXPERT**

BMX PEDALS

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Extruded, CNC-machined body



Body	6061 aluminum, CNC-machined body, anodized, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Size	105.8 x 116mm



503 g/pr



E-PB74 **SPORT**
BMX PEDALS

Aluminum body, non-slip platform with a machined Cr- Mo axle.
• Non-slip platform



Body	Aluminum.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Other	Reflectors included.
Size	114 x 103 mm



396 g/pr

Color Options



E-PB569-GR



E-PB569-RD




E-PB569-TB



E-PB569 **SPORT**
BMX PEDALS

Thermoplastic pedal featuring a CNC-machined axle, and DU bushing and sealed bearings.



Body	Engineering thermoplastic, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearing	DU bushing & sealed.
Size	117 x 116 mm.



479 g/pr

Color Options



E-PB570



E-PB570-RD



E-PB570-BL **SPORT**

CNC-MACHINED BMX PEDALS

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Extruded, CNC-machined body



Body	6061 aluminum, CNC-machined body, anodized, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Size	117 x 116 mm



482 g/pr


Color Options



E-PB571



E-PB571-YL



E-PB571-BL



E-PB571-RD **SPORT**

BMX PEDALS

Die-cast aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.



Body	Die-cast aluminum, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Size	117 x 116 mm

BMX series



426 g/pr

E-PB562-BL

Color Options
(MOQ 300 pr)



E-PB562-BK E-PB562-GR E-PB562-RD E-PB562-SL



Triple LSL Bearings.

E-PB562 EXPERT
CNC-MACHINED BMX PEDALS

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and triple LSL bearing mechanism.

- Extruded, CNC-machined body




Body	6061 aluminum, CNC-machined body, anodized, replaceable grip pins
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	Triple LSL bearings.
Size	105.5 x 108 mm



434 g/pr

Color Options
(MOQ 300 pr)



E-PB73-RD E-PB73-OG E-PB73-GR E-PB73-YL



Standard



ESS088


Option



ESS088-Blue

E-PB73 SPORT
BMX PEDALS

Aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.



Body	Die-cast aluminum, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Size	117 x 114 mm



366 g/pr

Color Options
(MOQ 300 pr)



E-PB525 **SPORT**
BMX PEDALS

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Extruded, CNC-machined body



Body	6061 aluminum, CNC-machined body, anodized, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Size	103 x 100 mm



BMX series



E-PB555 **EXPERT**
CNC-MACHINED BMX PEDALS

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Extruded, CNC-machined body



Body	6061 aluminum, CNC-machined body, anodized, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing, & sealed.
Size	113 x 105 mm

BMX series



E-PB557-SL E-PB557-RD E-PB557-BL



E-PB557 **EXPERT**
SLIM PROFILE CNC-MACHINED BMX PEDALS

Low stack height, extruded-machined aluminum pedal featuring a machined Cr-Mo axle, tubular LSL bearings, anti-slip surface and grip pins.

- Extruded, CNC-machined body
- Low stack height
- Tubular LSL bearings



Body	Low stack height, 6061 aluminum, CNC-machined body, anodized, replaceable grip pins.
Axle	Heat-treated, CNC-machined Cr-Mo (cartridge).
Bearings	Tubular LSL bearings (integrated cartridge).
Size	113 x 105 mm





273 g/pr

Option



281 g/pr

E-PC951-1
(Uses 15 mm Open wrench.)



E-PC951 *SPORT*
PLATFORM PEDALS

An all-round pedal suitable for a variety of bikes. Thermoplastic body with a CNC-machined axle, and DU bushing and sealed bearings.



Body	Engineering thermoplastic.
Cage	Engineering thermoplastic.
Axle	Heat-treated, CNC-machined Cr-Mo. Uses 6 mm Allen key.
Bearings	DU bushing & sealed.
Other	Toe clip and strap attachable. Reflectors included.
Size	117 x 116 mm.





316 g/pr

Option



E-PC950



E-PC950-BK **SPORT**

ANTI-SLIP URBAN PEDALS

A pedal featuring a thermoplastic body, with a machined Cr-Mo axle, anti-slip surface.

- Engineering thermoplastic body
- Anti-slip surface



Body	Engineering thermoplastic , anti-slip surface.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	DU bushing & sealed.
Size	104x 78 mm



344 g/pr

E-PC945 **SPORT**

ANTI-SLIP URBAN PEDALS

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip surface.

- Extruded, CNC-machined body
- Anti-slip surface


































Body	6061 aluminum, CNC-machined body, anodized, anti-slip surface.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	LSL bushing & sealed.
Size	104 x 78 mm



INDOOR

Pedals



Axle		Available												
<div><div>EP5X</div><div>ISX_b</div><div>ISXb axle</div><div></div><div>Over size sealed & needle bearings.</div></div>	<div></div> <div>E-PS7</div>	<div></div> <div>E-PS8</div>	<div></div> <div>E-PS9</div>	<div></div> <div>E-PS10</div>	<div></div> <div>E-PS11</div>			<div></div> <div>E-PS12</div>	<div></div> <div>E-PS13</div>	<div></div> <div>E-PS207</div>	<div></div> <div>E-PS815-C8</div>	<div></div> <div>E-PS816-C8</div>	<div></div> <div>E-PS817-C8</div>	
	<div></div> <div>E-PS7SSP</div>					<div></div> <div>E-PS11SSP</div>			<div></div> <div>E-PS12SSP</div>	<div></div> <div>E-PS13SSP</div>	<div></div> <div>E-PS207SSP</div>			
<div><div>EP5X</div><div>ISX_b</div><div>ISXb axle</div><div></div><div>Over size axle with ISXb drive system</div></div>	<div></div> <div>E-PS7 ISXb</div>	<div></div> <div>E-PS8 ISXb</div>	<div></div> <div>E-PS9 ISXb</div>	<div></div> <div>E-PS10 ISXb</div>	<div></div> <div>E-PS11 ISXb</div>			<div></div> <div>E-PS12 ISXb</div>	<div></div> <div>E-PS13 ISXb</div>			<div></div> <div>E-PS815-C8 ISXb</div>	<div></div> <div>E-PS816-C8 ISXb</div>	<div></div> <div>E-PS817-C8 ISXb</div>
<div><div>EP5X</div><div>ISX_s</div><div>Supersize axle</div><div></div><div>Supersize axle and anti-loosening axle device. Quad LSL bearings.</div></div>			<div></div> <div>E-PS9 ISXs</div>			<div></div> <div>E-PS11 ISXs</div>								

PEDAL TECHNOLOGY



1 FULL CONTACT BODY

2 IMPROVED TENSION ADJUSTER

New design prevents bolt from coming loose and separating from the pedal if loosened too much.

FULL CONTACT BODY


Increased contact area (62 mm wide) between pedal body and cleat ensures extra power, support, and stability. Interface also enables easier cleat engagement.



AXLES & BEARINGS

OVER-SIZED NEEDLE BEARINGS

Large diameter needle bearings are used on pedals with over-sized axles (such as indoor pedals, where strength is paramount). Needle bearings are very smooth running.



NEEDLE BEARINGS

Needle bearings are used to reduce friction, and increase contact area still allowing a slim axle profile.



REMOVABLE SHOE PLATFORM

A platform that can be attached to many of our Dual Interface pedals. It allows ordinary sports shoes to be used with clip-in pedals.

OVERSIZE BEARING

These bearings are oversized for maximum strength and durability. Designed for the toughest fitness center conditions.

OVERSIZE AXLE

IMPROVED TENSION ADJUSTER

New design prevents bolt from coming loose and separating from the pedal if loosened too much.



Dual Interface



OVERSIZE AXLE

Designed for the toughest fitness center conditions, these axles are oversized for maximum strength and durability.



SIDE A: EPS-R (Compatible with Look Delta).



SIDE B: EPS-M (Compatible with Shimano SPD).

540 g/pr



EMM208-BP



Oversize axle
Oversize sealed & needle bearings.



Tension Gauge
Integral binding tension indicator makes it easy for riders to set and adjust tension.

E-PS7 **EXPERT**
DUAL INTERFACE INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Bindings	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-ARC1 & E-C05F
Size	87 x 94 mm



SIDE A: EPS-R (Compatible with Look Delta).



SIDE B: Plastic platform

481 g/pr

Option



E-PS7SS1
Side B: No platform



EMP344



Oversize axle
Oversize sealed & needle bearings.



Tension Gauge
Integral binding tension indicator makes it easy for riders to set and adjust tension.

E-PS7SSP **EXPERT**
DUAL INTERFACE INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Delta).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Bindings	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-ARC1
Size	87 x 94 mm



SIDE A: EPS-R (Compatible with Look Delta).



SIDE B: EPS-M (Compatible with Shimano SPD).

560 g/pr



Oversize axle
Oversize sealed & needle bearings.



EMM208-BP

E-PS8 **EXPERT**

DUAL INTERFACE CLIP-IN INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-ARC1 & E-C05F
Size	87 x 94 mm



SIDE A: EPS-R (Compatible with Look Delta).



SIDE B: Plastic platform

496 g/pr



Oversize axle
Oversize sealed & needle bearings.



EMP344

E-PS8SSP **EXPERT**

DUAL INTERFACE CLIP-IN INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Delta).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Bindings	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-ARC1
Size	87 x 94 mm



524 g/pr

EPS-R (Compatible with Look Delta).



Oversize axle
Oversize sealed & needle bearings.



E-PS9 **EXPERT**
INDOOR PEDALS

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Delta).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-ARC1
Size	88 x 94 mm



516 g/pr

EPS-R (Compatible with Look Delta).



Oversize axle
Oversize sealed & needle bearings.



E-PS10 **EXPERT**
INDOOR PEDALS

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Delta).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Bindings	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-ARC1
Size	88 x 94 mm



SIDE A: EPS-R (Compatible with Look Delta).



SIDE B: EPS-M (Compatible with Shimano SPD).

688 g/pr



Oversize axle
Oversize sealed & needle bearings.



EMM350-BP-AY

E-PS11 **EXPERT**

DUAL INTERFACE INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-ARC1 & E-C05F
Size	89 x 94 mm



SIDE A: EPS-R (Compatible with Look Delta).



SIDE B: Plastic platform

606 g/pr



Oversize axle
Oversize sealed & needle bearings.



EMP391

E-PS11SSP **EXPERT**

DUAL INTERFACE INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Delta).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Bindings	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-ARC1
Size	89 x 94 mm



SIDE A: EPS-R (Compatible with Look Delta).



SIDE B: EPS-M (Compatible with Shimano SPD).



Oversize axle
Oversize sealed & needle bearings.



EMM208-BP

E-PS12 **EXPERT**

DUAL INTERFACE CLIP-IN INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, oversize sealed & needle bearings and an abrasion guard. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant
- Abrasion guard



Interface	EPS-R (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).
Body	Aluminum, nickel plated & ED black, corrosion resistant, with stainless steel abrasion guard.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-ARC1 & E-C05F
Size	88 x 94 mm



SIDE A: EPS-R (Compatible with Look Delta).



SIDE B: Plastic platform



Oversize axle
Oversize sealed & needle bearings.



EMP344

E-PS12SSP **EXPERT**

DUAL INTERFACE CLIP-IN INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with oversize axle, oversize sealed & needle bearings and an abrasion guard. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant
- Abrasion guard



Interface	EPS-R (Compatible with Look Delta).
Body	Aluminum, nickel plated & ED black, corrosion resistant, with stainless steel abrasion guard.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Bindings	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-ARC1
Size	88 x 94 mm



SIDE A: EPS-SL (Compatible with Shimano SPD-SL).

594 g/pr



SIDE B: EPS-M (Compatible with Shimano SPD).



Oversize axle
Oversize sealed & needle bearings.



EMM208-BP

E-PS13 **EXPERT**

DUAL INTERFACE CLIP-IN INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage , and an abrasion guard.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant
- Abrasion guard



Interface	EPS-SL (Compatible with Shimano SPD-SL). + EPS-M (Compatible with Shimano SPD).
Body	Aluminum, nickel plated & ED black, corrosion resistant, with stainless steel abrasion guard.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	Shimano SPD-SL-style: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-RSL3 H1 & E-C05F
Size	88 x 94 mm



SIDE A: EPS-SL (Compatible with Shimano SPD-SL).

505 g/pr



SIDE B: Plastic platform



Oversize axle
Oversize sealed & needle bearings.



EMP344

E-PS13SSP **EXPERT**

DUAL INTERFACE CLIP-IN INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage , and an abrasion guard.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant
- Abrasion guard



Interface	EPS-SL (Compatible with Shimano SPD-SL).
Body	Aluminum, nickel plated & ED black, corrosion resistant, with stainless steel abrasion guard.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Bindings	Shimano SPD-SL-style: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-RSL3 H1
Size	88 x 94 mm



SIDE A: EPS-R (Compatible with Look Keo).



SIDE B: EPS-M (Compatible with Shimano SPD).

530 g/pr



Oversize axle
Oversize sealed & needle bearings.



EMM208-BP

E-PS207 **EXPERT**
DUAL INTERFACE INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Keo). + EPS-M (Compatible with Shimano SPD).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-ARC11+ & E-C05F
Size	87 x 90 mm



SIDE A: EPS-R (Compatible with Look Keo).



SIDE B: Plastic platform

478 g/pr



Oversize axle
Oversize sealed & needle bearings.



EMP344

E-PS207SSP **EXPERT**
DUAL INTERFACE INDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with oversize axle and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Keo).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Bindings	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-ARC11+
Size	87 x 90 mm

PATENTED



SIDE A: Toe clips and straps.



SIDE B: EPS-M (Compatible with Shimano SPD).

632 g/pr

Options



Side A: EPS-M (Compatible with Shimano SPD).



SIDE B: Platform pedals



EMM208-BP



Oversize axle
Oversize sealed & needle bearings.

E-PS815-C8 **EXPERT**

INDOOR PEDALS

A strong, durable indoor pedal. Featuring an oversize axle and sealed & needle bearings. Interface allows use with: 1. EPS-M (Compatible Shimano MTB system). 2. Platform pedals. 3. Toe clips and straps.

- Extra-strength oversize bearings
- Oversize axle



Interface	Toe clips and straps + EPS-M (Compatible with Shimano SPD).
Body	Aluminum.
Cage	Aluminum, ED black.
Axle	Oversize heat-treated, CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-C05F
Other	Also compatible with conventional bicycles (outside use).
Size	113 x 145 mm

PATENTED



SIDE A: Platform + Toe clip attachable.



SIDE B: EPS-M (Compatible with Shimano SPD).

880 g/pr



Oversize axle
Oversize sealed & needle bearings.



EMM208-BP

E-PS816-C8 **ADVANCED**

INDOOR PEDALS

A strong, durable and versatile indoor pedal. Featuring an oversize axle and sealed & needle bearings and a robust mechanism. Interface allows use with: 1. EPS-M (Compatible Shimano MTB system). 2. Platform pedals. 3. Toe clips and straps.

- Oversize axle
- Oversize bearings



Interface	Toe clips and straps + EPS-M (Compatible with Shimano SPD).
Body	Aluminum, ED black.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-C05F
Size	98 x 115 mm (w/ toe clip 98 x 165 mm)

PATENTED



SIDE A: Platform + Toe clip attachable.

SIDE B: EPS-M (Compatible with Shimano SPD).

782 g/pr



Oversize axle
Oversize sealed & needle bearings.



EMM208-BP

E-PS817-C8 **ADVANCED**
INDOOR PEDALS

A strong, durable indoor pedal. Featuring an oversize axle and sealed & needle bearings. Interface allows use with: 1. EPS-M (Compatible with Shimano SPD). 2. Platform pedals. 3. Toe clips and straps.

- Extra-strength oversize bearings
- Oversize axle



Interface	EPS-M (Compatible with Shimano SPD). Platform pedals. Toe clips and straps.
Body	Aluminum. ED Black
Axle	Oversize heat-treated, CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-C05F
Other	Also compatible with conventional bicycles (outside use).
Size	97.5 x 85 mm



SUPERSIZE AXLE TECHNOLOGY

- Supersize
- Anti-loosen device
- Extra-strong and durable
- Heat-treated
- CNC-machined Cr-Mo
- Supersize quad LSL bushing bearings


SUPERSIZE QUAD LSL BUSHING BEARINGS



IMPROVED TENSION ADJUSTER

Special design prevents bolt from coming loose and separating from the pedal if loosened too much.

ANTI-LOOSEN DEVICE



For Standard Shoe Sizes (35–48)

For Larger Shoe Sizes (49–59)

FOUR DIFFERENT LENGTHS

These can also be retrofitted to certain models of Exustar indoor pedals. In some cases, it may be best to consult with a professional bike fitter before using non-standard axles.


SUPERSIZE AXLES

4 SUPERSIZE LENGTH OPTIONS

(Q Factor options)

Four different axle length options allow for varying the Q Factor (the distance between the left and right foot when pedaling). This enables a much higher level of customization of pedal and shoe setup. It is perfect for large shoe sizes and may help cyclists with other biomechanical bike fitting issues.

4 LENGTH OPTIONS



PATENTED



655 g/pr



EPS-R (Compatible with Look Delta).

E-PS9SA **EXPERT**

INDOOR PEDALS

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Anti-loosening axle device. Anti-corrosion treatment protects against sweat damage.

- Supersize axle
- Quad bearings
- Anti-loosening axle device



Interface	EPS-R (Compatible with Look Delta).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, supersize CNC-machined Cr-Mo. Anti-loosening device.
Bearings	Quad LSL bearings.
Binding	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-ARC1
Size	88 x 94 mm

PATENTED



645 g/pr



EPS-R (Compatible with Look Delta).

E-PS10SA **EXPERT**

INDOOR PEDALS

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Anti-loosening axle device. Anti-corrosion treatment protects against sweat damage.

- Supersize axle
- Quad bearings
- Anti-loosening axle device



Interface	EPS-R (Compatible with Look Delta).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, supersize CNC-machined Cr-Mo. Anti-loosening device.
Bearings	Quad LSL bearings.
Binding	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-ARC1
Size	89 x 94 mm

PATENTED



817 g/pr



EMM350-BP-AY

SIDE A : EPS-R (Compatible with Look Delta).

E-PS11SA **EXPERT**

DUAL INTERFACE INDOOR PEDALS

Strong, durable indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Antiloosening axle device. Anti-corrosion treatment protects against sweat damage.

- Supersize axle
- Quad bearings
- Anti-loosening axle device



Interface	EPS-R (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, supersize CNC-machined Cr-Mo. Antiloosening device.
Bearings	Quad LSL bearings.
Binding	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-ARC1 & E-C05F
Size	89 x 94 mm

PATENTED



1034 g/pr



EMM208-BP

SIDE A : Platform + Toe clip attachable.

E-PS816SA-C8 **ADVANCED**

INDOOR PEDALS

A strong, durable and versatile indoor pedal. Featuring a supersize axle and quad LSL bearings, an extra robust mechanism and an anti-loosen axle device. Interface allows use with: 1. EPS-M (Compatible Shimano MTB system). 2. Platform pedals. 3. Toe clips and straps.

- Supersize axle
- Supersize quad bearings
- Anti-loosen axle device



Interface	EPS-M (Compatible with Shimano SPD).
Body	Aluminum, ED black.
Axle	Heat-treated, supersize CNC-machined Cr-Mo. Anti-loosening device.
Bearings	Quad LSL bearings.
Binding	EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-C05F
Size	98 x 115 mm (w/ toe clip 98 x 165 mm)

EPSX

BIKE

ISXb

OUTDOOR CYCLING DRIVE SYSTEM


SERIES

The Exustar ISXb Drive system consists of pedals and a crankset connected by the innovative ISXb Interface.

The ISXb Interface is a 10 tooth splined system that connects the pedal axle to the crank arm (crankset is compatible with ISIS Drive bottom brackets).

ISXb guarantees a stronger, more reliable pedal-to-crank interface that will stand up to rigorous use by even the heaviest and most aggressive riders on the road, trail or in the fitness center environment.

This system is designed for optimal strength and durability. Flexibility of use is also factored into the ISXb system: Optionally, Exustar pedals can be fitted with longer more beefy axles that suit users with larger, heavier physiques, and/or extra large shoe sizes.



BENEFITS OF THE ISXb DRIVE

- Stronger interface
- More stable and durable
- Can be used with large diameter axles
- Can be used with longer axles



ISXb Splined Interface
(Patented)



ISXb Splined Interface
(Patented)



CRANKSET



Notes

Sold as a set, including ISXb pedals and crankset. Optionally, Exustar can also supply ISIS Drive bottom brackets. The ISXb Drive is compatible only with ISIS Drive bottom brackets.

PATENTED



SIDE A: EPS-R (Compatible with Look Delta).

SIDE B: EPS-M (Compatible with Shimano SPD).

551 g/pr

Compatible



Option



EMP344



ISXb Axle
Oversize axle with ISXb drive system.



EMM208-BP

E-PS7 ISXb **EXPERT** DUAL INTERFACE OUTDOOR PEDALS

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- ISXb axle
- Extra-strength oversize bearings
- Corrosion resistant



Interface	EPS-R (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, oversize CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-ARC1 & E-C05F
Size	87 x 94 mm

PATENTED



SIDE A: Platform + Toe clip attachable.

SIDE B: EPS-M (Compatible with Shimano SPD).

Compatible



E-PS815-C8 ISXb

E-PS816-C8 ISXb



EMM208-BP



ISXb Axle
Over size axle with ISXb drive system.

E-PS817-C8 ISXb **ADVANCED** OUTDOOR PEDALS

A strong, durable indoor pedal. Featuring an oversize axle and sealed & needle bearings. Interface allows use with: 1. EPS-M (Compatible with Shimano SPD). 2. Platform pedals. 3. Toe clips and straps.

- ISXb axle
- Extra-strength oversize bearings



Interface	EPS-M (Compatible with Shimano SPD). Platform pedals. Toe clips and straps.
Body	Aluminum. ED Black.
Axle	Oversize heat-treated, CNC-machined Cr-Mo.
Bearings	Oversize sealed & needle.
Binding	EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-C05F
Other	Also compatible with conventional bicycles (outside use).
Size	97.5 x 85 mm

EPSX

SPIN

ISXs

SERIES

INDOOR CYCLING DRIVE SYSTEM

SUPERSIZE QUAD LSL BUSHING BEARINGS

IMPROVED TENSION ADJUSTER

New design prevents bolt from coming loose and separating from the pedal if loosened too much.

ISXs Splined Interface


(Patented)

- Supersize
- EPSX drive system
- Extra-strong and durable
- Heat-treated
- CNC-machined Cr-Mo
- Supersize quad lsl bushing bearings



Axle Width Options

Tightening the locking ring prevents axle from ever accidentally coming loose.



PATENTED



670 g/pr

EPS-R (Compatible with Look Delta).

E-PS9 ISXs EXPERT

INDOOR PEDALS

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Anti-loosening axle device. Anti-corrosion treatment protects against sweat damage.

- Supersize axle
- Quad bearings
- Anti-loosening axle device



Interface	EPS-R (Compatible with Look Delta).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, supersize CNC-machined Cr-Mo. Anti-loosening device.
Bearings	Quad LSL bearings.
Bindings	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.
Cleats	E-ARC1
Size	88 x 94 mm

PATENTED



826 g/pr


SIDE A : EPS-R (Compatible with Look Delta).

E-PS11 ISXs ADVANCED

DUAL INTERFACE INDOOR PEDALS

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Anti-loosening axle device. Anti-corrosion treatment protects against sweat damage.

- Supersize axle
- Quad bearings
- Anti-loosening axle device



SIDE B : EPS-M (Compatible with Shimano SPD).


Interface	EPS-R (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).
Body	Aluminum, nickel plated & ED black, corrosion resistant.
Axle	Heat-treated, supersize CNC-machined Cr-Mo. Anti-loosening device.
Bearings	Quad LSL bearings.
Binding	EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable.
Cleats	E-ARC1 & E-C05F
Size	89 x 94 mm



ROWING PEDAL TECHNOLOGY


DUAL BINDING CLIP-IN PEDAL SYSTEM

CONVENTIONAL FOOT STRETCHERS



Rigid positioning.

EXUSTAR ROWING PEDALS



Concentrated power transfer.
Freedom of movement.

Exustar's clip-in rowing pedals offer benefits that top racing cyclists have been enjoying for decades. The efficient, concentrated power transfer of rowing pedals allow rowers to focus on improving performance and not foot position. Unlike conventional foot stretchers, rowing pedals allow freedom of movement, and the natural rotation of the ankle, helping avoid discomfort, strains and injury. Positioning on base plate is adjustable to suit a wide variety of rowing machines. Lateral spacing is adjustable to suit a range of user body and feet sizes. Rowing pedals can be fitted to a base plate with axles mounted on the inside of pedal bodies, or on the outside. And additional feature is that Exustar rowing pedals can also be used on indoor bikes.

Exustar dual binding pedals are used with clip-in bicycle shoes and Exustar EPS cleats or EPS-M cleats.



USA
China
Taiwan



SIDE A : EPS-R (Compatible with Look Delta).

SIDE B : EPS-M (Compatible with Shimano SPD).

CUSTOMIZED



Adjustable Positioning



Base plate not included.



Oversize axle
Oversize sealed & needle bearings.



EMM208-BP

ROWING PEDALS **ADVANCED**

DUAL BINDING CLIP-IN PEDAL SYSTEM

Exustar clip-in rowing pedals offer benefits that top racing cyclists have been enjoying for decades.

- Efficient, concentrated power transfer
- Maximum natural ankle rotation
- Lateral freedom of movement
- Quick clip in and release



Pedal-Shoe Interface
Side A: EPS-R cleats (Compatible with Look Delta)
Side B: EPS-M cleats (Compatible with Shimano SPD)

Compatible clip-in bicycle shoes and cleats required.
EPS-R cleats or EPS-M cleats available separately from Exustar.



CLEAT TECHNOLOGY



USA : US8.453.353 B2/ 10625816
Japan : 3218904
Germany : 202018106478
China : ZL201810962794.8
Taiwan : I686148



Euro-PCT: EP19164985.4



1 TPU PLASTIC

2 ENGINEERING PLASTIC

3 DURA-SMOOTH

TRIPLE LAYER CLEATS

Exustar's top-line road cleats, consisting of an Engineering Plastic layer, a TPU Plastic layer and a Dura-Smooth Layer.

WIDE-BEAM DESIGN


Some Exustar EPS-R road cleats feature a Wide-Beam design that provides greater contact area between pedal and shoes. This increases stability and power. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

DURA-SMOOTH

Dura-Smooth (durable + smooth) refers to the third partial layer on our Triple Layer Cleats, the part of the cleat that connects with the pedal. The Dura-Smooth layer is made from reinforced polyoxymethylene, a material that is hard, ensuring long life, and smooth, facilitating easy pedal entry and exit.

ANTI-SLIP WALK LAYER

Some Exustar road cleats are equipped with an integrated TPU plastic anti-slip layer. This provides grip when walking on the road or footpath.



SIDE A

SIDE B

E-ARCR3H3

PRO



ROAD BIKE CLEATS

EPS-R Wide-Beam (Compatible with Look Keo).

Triple layer cleats featuring Dura-Smooth to facilitate easy pedal entry and exit. Wide-Beam design provides greater power and stability. Anti-slip layer for walking.

- Triple layer construction
- Dura-Smooth
- Wide-Beam
- Anti-slip walk layer

Interface EPS-R: Exustar EPS–R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode Floating (6°).

Material Engineering thermoplastic / TPU plastic / Dura-Smooth (reinforced polyoxymethylene).

Weight 50 g/pr

E-ARCR3H2



ROAD BIKE CLEATS

EPS-R Wide-Beam (Compatible with Look Keo).

Cleats feature Wide-Beam design for greater power and stability. Anti-slip layer for walking.

- Wide-Beam
- Anti-slip walk layer

Interface EPS-R: Exustar EPS–R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode Floating (6°).

Material Engineering thermoplastic / TPU plastic.

Weight 48 g/pr

E-ARCR3H1



ROAD BIKE CLEATS

EPS-R Wide-Beam (Compatible with Look Keo).

Cleats feature Wide-Beam design for greater power and stability.


- Wide-Beam

Interface EPS-R: Exustar EPS–R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode Floating (6°).

Material Engineering thermoplastic.

Weight 51 g/pr



SIDE A

SIDE B



SIDE A

SIDE B

E-BLKR3H3

PRO



ROAD BIKE CLEATS

EPS-R Wide-Beam (Compatible with Look Keo).

Triple layer cleats featuring Dura-Smooth to facilitate easy pedal entry and exit. Wide-Beam design provides greater power and stability. Anti-slip layer for walking.

- Triple layer construction
- Dura-Smooth
- Wide-Beam
- Anti-slip walk layer

Interface EPS-R: Exustar EPS–R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode Fixed position.

Material Engineering thermoplastic / TPU plastic / Dura-Smooth (reinforced polyoxymethylene).

Weight 50 g/pr

E-BLKR3H2



ROAD BIKE CLEATS

EPS-R Wide-Beam (Compatible with Look Keo).

Cleats feature Wide-Beam design for greater power and stability. Anti-slip layer for walking.

- Wide-Beam
- Anti-slip walk layer

Interface EPS-R: Exustar EPS–R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode Fixed position.

Material Engineering thermoplastic / TPU plastic.

Weight 48 g/pr



SIDE A

SIDE B

E-BLKR3H1



ROAD BIKE CLEATS

EPS-R Wide-Beam (Compatible with Look Keo).

Cleats feature Wide-Beam design for greater power and stability.

- Wide-Beam

Interface EPS-R: Exustar EPS–R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode Fixed position.

Material Engineering thermoplastic.

Weight 51 g/pr



SIDE A

SIDE B



E-RSL3H3 **PRO**



ROAD BIKE CLEATS

EPS-SL (Compatible with Shimano SPD-SL).

Triple layer cleats featuring Dura-Smooth to facilitate easy pedal entry and exit. Anti-slip layer for walking.

- Triple layer construction
- Dura-Smooth
- Anti-slip walk layer

Interface EPS-SL: Exustar EPS-SL & Shimano SPD-SL pedals. / 3 bolt hole shoes.
Mode Floating (6°).

Material Engineering thermoplastic / TPU plastic / Dura-Smooth (reinforced polyoxymethylene).

Weight 57 g/pr



SIDE A

SIDE B

E-RSL3H2



ROAD BIKE CLEATS

EPS-SL (Compatible with Shimano SPD-SL).

- Anti-slip walk layer

Interface EPS-SL: Exustar EPS-SL & Shimano SPD-SL pedals. / 3 bolt hole shoes.

Mode Floating (6°).

Material Engineering thermoplastic / TPU plastic.

Weight 54 g/pr



SIDE A

SIDE B

E-RSL3H1



ROAD BIKE CLEATS

EPS-SL (Compatible with Shimano SPD-SL).

Interface EPS-SL: Exustar EPS-SL & Shimano SPD-SL pedals. / 3 bolt hole shoes.

Mode Floating (6°).

Material Engineering thermoplastic.

Weight 55g/pr



SIDE A

SIDE B



E-BSL3H3 **PRO**



ROAD BIKE CLEATS

EPS-SL (Compatible with Shimano SPD-SL).

Triple layer cleats featuring Dura-Smooth to facilitate easy pedal entry and exit. Anti-slip layer for walking.

- Triple layer construction
- Dura-Smooth
- Anti-slip walk layer

Interface EPS-SL: Exustar EPS-SL & Shimano SPD-SL pedals. / 3 bolt hole shoes.

Mode Fixed position.

Material Engineering thermoplastic / TPU plastic / Dura-Smooth (reinforced polyoxymethylene).

Weight 57 g/pr



SIDE A

SIDE B

E-BSL3H2



ROAD BIKE CLEATS

EPS-SL (Compatible with Shimano SPD-SL).

- Anti-slip walk layer

Interface EPS-SL: Exustar EPS-SL & Shimano SPD-SL pedals. / 3 bolt hole shoes.

Mode Fixed position.

Material Engineering thermoplastic / TPU plastic.

Weight 54 g/pr



SIDE A

SIDE B

E-BSL3H1



ROAD BIKE CLEATS

EPS-SL (Compatible with Shimano SPD-SL).

Interface EPS-SL: Exustar EPS-SL & Shimano SPD-SL pedals. / 3 bolt hole shoes.

Mode Fixed position.

Material Engineering thermoplastic.

Weight 55 g/pr



SIDE A

SIDE B



SIDE A

SIDE B

E-ARC1H3 PRO



ROAD BIKE CLEATS

EPS-R (Compatible with Look Delta).

Triple layer cleats featuring Dura-Smooth to facilitate easy pedal entry and exit. Wide-Beam design provides greater power and stability. Anti-slip layer for walking.

- Triple layer construction
- Dura-Smooth
- Wide-Beam
- Anti-slip walk layer

Interface EPS-R: Exustar EPS-R & Look Delta pedals. / 3 bolt hole shoes

Mode Floating (9°).

Material Engineering thermoplastic / TPU plastic / Dura-Smooth (reinforced polyoxymethylene).

Weight 61 g/pr

E-ARC1H2



ROAD BIKE CLEATS

EPS-R (Compatible with Look Delta).

Cleats feature Wide-Beam design for greater power and stability. Anti-slip layer for walking.

- Wide-Beam
- Anti-slip walk layer

Interface EPS-R: Exustar EPS-R & Look Delta pedals. / 3 bolt hole shoes.

Mode Floating (9°).

Material Engineering thermoplastic / TPU plastic.

Weight 62 g/pr

E-ARC1H1



ROAD BIKE CLEATS

EPS-R (Compatible with Look Delta).

- Wide-Beam

Interface EPS-R: Exustar EPS-R & Look Delta pedals. / 3 bolt hole shoes.

Mode Floating (9°).

Material Engineering thermoplastic.

Weight 63 g/pr



SIDE A

SIDE B



SIDE A

SIDE B

E-BLK1H3 PRO



ROAD BIKE CLEATS

EPS-R (Compatible with Look Delta).

Triple layer cleats featuring Dura-Smooth to facilitate easy pedal entry and exit. Wide-Beam design provides greater power and stability. Anti-slip layer for walking.

- Triple layer construction
- Dura-Smooth
- Wide-Beam
- Anti-slip walk layer

Interface EPS-R: Exustar EPS-R & Look Delta pedals. / 3 bolt hole shoes.

Mode Fixed position.

Material Engineering thermoplastic / TPU plastic / Dura-Smooth (reinforced polyoxymethylene).

Weight 61 g/pr

E-BLK1H2



ROAD BIKE CLEATS

EPS-R (Compatible with Look Delta).

Cleats feature Wide-Beam design for greater power and stability. Anti-slip layer for walking.

- Wide-Beam
- Anti-slip walk layer

Interface EPS-R: Exustar EPS-R & Look Delta pedals. / 3 bolt hole shoes.

Mode Fixed position.

Material Engineering thermoplastic / TPU plastic.

Weight 62 g/pr



SIDE A

SIDE B

E-BLK1H1



ROAD BIKE CLEATS

EPS-R (Compatible with Look Delta).

- Wide-Beam

Interface EPS-R: Exustar EPS-R & Look Delta pedals. / 3 bolt hole shoes.

Mode Fixed position.

Material Engineering thermoplastic.

Weight 63 g/pr



SIDE A

SIDE B



E-ARCR2: Floating (6°)



E-BLKR2: Fixed position

E-ARCR2 / E-BLKR2



ROAD BIKE CLEATS

EPS-R Wide-Beam (Compatible with Look Keo).

- Wide-Beam
- Anti-slip walk layer

Interface EPS-R: Exustar EPS-R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode E-ARCR2: Floating (6°), E-BLKR2: Fixed position.

Material Engineering thermoplastic / TPU plastic.

Weight 48 g/pr

E-ARC11+ / E-BLK11+



ROAD BIKE CLEATS

EPS-R (Compatible with Look Keo).

- Anti-slip walk layer

Interface EPS-R: Exustar EPS-R & Look Keo pedals. / 3 bolt hole shoes.

Mode E-ARC11: Floating (6°), E-BLK11: Fixed position.

Material Engineering thermoplastic / TPU plastic.

Weight 46 g/pr



E-ARC11+: Floating (6°)



E-BLK11+: Fixed position

E-ARC10 / E-BLK10



ROAD BIKE CLEATS

EPS-R (Compatible with Look Keo).

Interface EPS-R: Exustar EPS-R & Look Keo pedals. / 3 bolt hole shoes.

Mode E-ARC10: Floating (6°), E-BLK10: Fixed position.

Material Engineering thermoplastic.

Weight 48 g/pr



E-ARC10: Floating (6°)



E-BLK10: Fixed position



E-ARC5+: Floating (9°)



E-BLK5+: Fixed position

E-ARC5+ / E-BLK5+



ROAD BIKE CLEATS

EPS-R (Compatible with Look Delta).

Interface EPS-R: Exustar EPS-R & Look Delta pedals. / 3 bolt hole shoes.

Mode E-ARC5+: Floating (9°), E-BLK5+: Fixed position.

Material Engineering thermoplastic / TPU plastic.

Weight 52 g/pr

E-ARC1 / E-BLK1



ROAD BIKE CLEATS

EPS-R (Compatible with Look Delta).

Interface EPS-R: Exustar EPS-R & Look Delta pedals. / 3 bolt hole shoes.

Mode E-ARC1: Floating (9°), E-BLK1: Fixed position..

Material Engineering thermoplastic.

Weight 46 g/pr



E-ARC1: Floating (9°)



E-BLK1: Fixed position

EPS-R CLEATS (Compatible with Exustar EPS-R & Look **Keo** pedals. / 3 bolt hole shoes.)



E-ARCR2CK: Floating (6°)



E-BLKR2CK: Fixed position

E-ARCR2CK / E-BLKR2CK



ROAD BIKE CLEATS

EPS-R Wide-Beam (Compatible with Look Keo).

Carbon fiber composite cleats feature Wide-Beam design for greater power and stability. Anti-slip layer for walking.

- Carbon fiber composite
- Wide-Beam
- Anti-slip walk layer

Interface EPS-R: Exustar EPS-R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode E-ARCR2CK: Floating (6°), E-BLKR2CK: Fixed position.

Material Carbon fiber-nylon composite / TPU plastic.

Weight 48 g/pr

E-ARCR20CK / E-BLKR20CK



ROAD BIKE CLEATS

EPS-R Wide-Beam (Compatible with Look Keo).

Carbon fiber composite cleats feature Wide-Beam design for greater power and stability.

- Carbon fiber composite
- Wide-Beam.

Interface EPS-R: Exustar EPS-R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode E-ARCR20CK: Floating (6°), E-BLKR20CK: Fixed position.

Material Carbon fiber-nylon composite.

Weight 48 g/pr

E-ARC11CK / E-BLK11CK



ROAD BIKE CLEATS

EPS-R (Compatible with Look Keo).

Carbon fiber composite cleats. Anti-slip layer for walking.

- Carbon fiber composite
- Anti-slip walk layer

Interface EPS-R: Exustar EPS-R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode E-ARC11CK: Floating (6°), E-BLK11CK: Fixed position.

Material Carbon fiber-nylon composite / TPU plastic.

Weight 45 g/pr



E-ARC11CK: Floating (6°)



E-BLK11CK: Fixed position

EPS-R CLEATS (Compatible with Exustar EPS-R & Look **Keo** pedals. / 3 bolt hole shoes.)



E-ARC10CK: Floating (6°)



E-BLK10CK: Fixed position

E-ARC10CK / E-BLK10CK



ROAD BIKE CLEATS

EPS-R (Compatible with Look Keo).

Carbon fiber composite cleats.

- Carbon fiber composite

Interface EPS-R: Exustar EPS-R & Look Keo pedals. / 3 bolt hole shoes. (Not compatible with Exustar PR200 series, E-PR107TK pedals or Look Keo Blade pedals.)

Mode E-ARC10CK: Floating (6°), E-BLK10CK: Fixed position.

Material Carbon fiber-nylon composite.

Weight 45 g/pr

EPS-R CLEATS (Compatible with Exustar EPS-R & Look **Delta** pedals. / 3 bolt hole shoes.)

E-ARC5CK / E-BLK5CK



ROAD BIKE CLEATS

EPS-R (Compatible with Look Delta)

Carbon fiber composite cleats. Anti-slip layer for walking.

- Carbon fiber composite
- Anti-slip walk layer

Interface EPS-R: Exustar EPS-R & Look Delta pedals. / 3 bolt hole shoes.

Mode E-ARC5: Floating (9°), E-BLK5: Fixed position.

Material Carbon fiber-nylon composite / TPU plastic.

Weight 53 g/pr



E-ARC5CK: Floating (9°)



E-BLK5CK: Fixed position

E-ARC1CK / E-BLK1CK



ROAD BIKE CLEATS

EPS-R (Compatible with Look Delta).

- Carbon fiber composite

Interface EPS-R: Exustar EPS-R & Look Delta pedals. / 3 bolt hole shoes.

Mode E-ARC1CK: Floating (9°), E-BLK1CK: Fixed position.

Material Carbon fiber-nylon composite.

Weight 49 g/pr



E-ARC1CK: Floating (9°)



E-BLK1CK: Fixed position

EPS-M CLEATS (Compatible with Exustar EPS-M & Shimano SPD-style pedals. / 2 bolt hole shoes.)



E-C01F

MTB CLEATS

EPS-M (Compatible with Shimano SPD).

- Forged for strength and durability

Interface	EPS-M: Compatible with Exustar EPS-M & Shimano SPD-style pedals. / 2 bolt hole shoes.
Cold Forged	Forged Cr-Mo steel.
Weight	40 g/pr



E-C03F

MTB CLEATS

EPS-M (Compatible with Shimano SPD).

- Entry level (easier disengagement)
- Forged for strength and durability

Interface	EPS-M: Compatible with Exustar EPS-M & Shimano SPD-style pedals. / 2 bolt hole shoes.
Cold Forged	Forged Cr-Mo steel.
Weight	40 g/pr



E-C05F

MTB CLEATS

EPS-M (Compatible with Shimano SPD)

- Forged for strength and durability.

Interface	EPS-M: Compatible with Exustar EPS-M & Shimano SPD-style pedals. / 2 bolt hole shoes.
Cold Forged	Forged Cr-Mo steel.
Weight	42 g/pr



EPS-T CLEATS (Compatible with Exustar track pedals and other brands of track pedals. / Track shoes.)



Fixed position

E-C100

TRACK BIKE CLEATS

- Anti-slip walk layer

Interface	For track riding.
Mode	Fixed position slot.
Material	Engineering thermoplastic.
Weight	34 g/pr



Fixed position

E-C101

TRACK BIKE CLEATS

- Anti-slip walk layer

Interface	For track riding.
Mode	Fixed position slot.
Material	Engineering thermoplastic.
Weight	40 g/pr



PATENTED



E-CK5-BK

ROAD CLEAT COVERS

EPS-R Wide-Beam (Compatible with Look Keo cleats).

Lightweight, durable, flexible.

Compatibility	EPS-R Wide-Beam cleats: E-ARCR2, E-BLKR2, E-ARCR3, E-BLKR3.
Weight	90 g/pr



E-CK3B

ROAD CLEAT COVERS

EPS-R (Compatible with Look Keo cleats).

- Lightweight, durable, flexible.

Compatibility	EPS-R cleats: E-ARC10, E-BLK10, E-ARC11+, E-BLK11+.
Weight	96 g/pr



E-CK1B

ROAD CLEAT COVERS

EPS-R (Compatible with Look Delta cleats).

- Lightweight, durable, flexible.

Compatibility	EPS-R cleats: E-ARC1, E-BLK1.
Weight	74 g/pr



E-CK6B

ROAD CLEAT COVERS

EPS-SL (Compatible with Shimano SPD-SL cleats).

- Lightweight, durable, flexible.

Compatibility	EPS-SL cleats: E-RSL3, E-BSL3, E-RSL1, E-BSL1, E-RSL11, E-BSL11.
Weight	86 g/pr



E-CK2B

MTB CLEAT COVERS

EPS-M (Compatible with Shimano SPD)

- Lightweight, durable, flexible.

Compatibility	EPS-M cleats: E-C01F, E-C03F, E-C05F
Weight	13 g/pr





CLIP-IN PEDAL ADAPTERS

Clip-in pedal adapters allow a user of clip-in pedals to conveniently and safely use them wearing ordinary sports shoes. The pedal adapter set consists of four (4) parts: a pedal-like platform, a toe clip, a toe strap, and a cleat (3 bolt hole or 2 bolt hole). A rider uses the adapter much like an ordinary platform pedal. The adapter can be used with or without a toe clip and strap.
NOTE: The pedal adapter unit is not a pedal nor a replacement for one. It does not have an axle.



E-SL02-K-A

CLIP-IN PEDAL ADAPTERS

E-SL02 Platform + E-ARCR3H1 Cleat + Toe Clip.
Pedal Interface EPS-R (Compatible with Look Keo pedals).
Cleats E-ARCR3H1
Weight 368 g/pr
Material Engineering thermoplastic.
(Cleat, toe clip and toe strap can be attached to platform.)



E-SL02-ESL-A

CLIP-IN PEDAL ADAPTERS

E-SL02 Platform + E-RSL3H1 Cleat + Toe Clip.
Pedal Interface EPS-SL (Compatible with Shimano SPD-SL pedals).
Cleats E-RSL3H1
Weight 372 g/pr
Material Engineering thermoplastic.
(Cleat, toe clip and toe strap can be attached to platform.)



E-SL02A

CLIP-IN PEDAL ADAPTERS

E-SL02 Platform + E-ARC1 Cleat + Toe Clip.
Pedal Interface EPS-R (Compatible with Look Delta pedals).
Cleats E-ARC1
Weight 379 g/pr
Material Engineering thermoplastic.
(Cleat, toe clip and toe strap can be attached to platform.)



E-SL02B

CLIP-IN PEDAL ADAPTERS

E-SL02 Platform + E-BLK1 Cleat + Toe Clip.
Pedal Interface EPS-R (Compatible with Look Delta pedals).
Cleats E-BLK1
Weight 379 g/pr
Material Engineering thermoplastic.
(Cleat, toe clip and toe strap can be attached to platform.)



E-SL02D

CLIP-IN PEDAL ADAPTERS

E-SL02 Platform + E-C01F Cleat + Toe Clip.
Pedal Interface EPS-M (Compatible with Shimano SPD pedals).
Cleats E-C01F
Weight 363 g/pr
Material Engineering thermoplastic.
(Cleat, toe clip and toe strap can be attached to platform.)



E-SL02-B6

E-SL02 Platform + toe clip.
Engineering thermoplastic platform toe clip and toe strap can be attached to platform.
(Cleat, toe clip and toe strap can be attached to platform.)



E-SL09
CLIP-IN PEDAL ADAPTERS

- Platform
- Aluminum platform
 - Toe clip and toe strap can be attached to platform
- Compatibility E-PS7, E-PS8, E-PS12, E-PS207.



E-SL09A
CLIP-IN PEDAL ADAPTERS

- Platform + Toe Clip + Toe Strap.
- Aluminum platform, plastic toe clip, nylon strap.
- Compatibility E-PS7, E-PS8, E-PS12, E-PS207


PATENTED



E-SL06
ADAPTER PLATFORM-CLEAT

- Pedal Interface EPS-R (Compatible with Look Keo pedals).
- Material Engineering thermoplastic platform.

EPS-R



E-SL07
ADAPTER PLATFORM-CLEAT

- Pedal Interface EPS-R (Compatible with Look Delta pedals).
- Material Engineering thermoplastic platform.

EPS-R




E-SL08
ADAPTER PLATFORM-CLEAT

- Pedal Interface EPS-SL (Compatible with Shimano SPD-SL pedals).
- Material Engineering thermoplastic platform.


EPS-SL



- E-T02
- Engineering thermoplastic. For removal and installation of Exustar or Shimano cartridge axles.
- Use with wrench.
- Weight 10g



- E-T03
- Engineering thermoplastic.
- For removal and installation of Exustar or Shimano cartridge axles.
- Use with standard socket wrench.
- Weight 18g



- E-T09
PEDAL CARTRIDGE AXLE
REMOVAL TOOLS
- Pedal cartridge axle removal tool for removal and installation of Exustar or Shimano cartridge axles.
- Made by H/t with plastic handle grip
- Weight 74g



- E-T19
PEDAL CARTRIDGE AXLE
REMOVAL TOOLS
- Pedal cartridge axle removal tool for removal and installation of Exustar cartridge axles.
- Weight 195g



- E-G01+ E-TG01+
- GREASE
- For high-end components. Fortified with micron-sized PTFE particles to ensure ultra-low friction. TG01+ attaches with convenient nozzle Compatible with Exustar grease gun E-T05+
- Weight 150g



- E-G02+ E-TG02+
- GREASE
- High quality paraffin-based lithium grease. TG02+ attaches with convenient nozzle Compatible with Exustar grease gun E-T05+
- Weight 150g

E-T05+




- E-T05+
BICYCLE GREASE
GUN
- Engineering thermoplastic.
- Easy one-handed operation. Compatible with Exustar grease gun E-G01+/TG01+/G02+/TG02+, also many third party's grease tubes.
- Weight 70g



- GREASE GUN
- The Exustar grease gun works with Exustar grease and many third party grease tubes.
- Exustar grease is formulated to exceed the toughest demands of on and off-road cycling. it features agents that help expel water, oxidation inhibitors that protect against rust, anti-wear additives that cling to contact surfaces, and high temperature stability that prevents premature grease breakdown.
- Weight 150g/tube

Ergonomic Axle Upgrade for Road Pedals

The variable length of this specially designed, patented axle allows riders of different height and shoe size to customize axle length for improved pedaling ergonomics. The threaded axle head is extended allowing the horizontal center of the axle to be moved closer to the crank arms. The axle comes with two spacers (2.5 mm, 5 mm) that allow three axle length settings: standard, medium, and short.



Retrofit, aftermarket upgrade compatible with these Exustar road pedals:
E-PR201, E-PR101SL, E-PR100CKTi, E-PR100CKKi, E-PR100CK, E-PR100AL-WH, E-PR100P, E-PR70CKTi, E-PR70Ti-WH, E-PR70



E-PA4AD

AXLE
Axle CNC-machined Cr-Mo (cartridge).
Bearings Sealed & needle.
Size 87 x 94 mm
Weight 83 g/pc
Axle Length Settings (measured from crank arm to horizontal center of axle).



E-ESS088-8

GRIP PINS
Long 8 mm (2 mm Allen key included)



E-ESS088-4

GRIP PINS
Short 4 mm (2 mm Allen key included)



E-EMM191

DUST CAPS
Polished, anodized aluminum dust caps (14mm dia.) for using with a wide range of Exustar pedals.



EMP201

TOE CLIPS
Large supportive design with instep guard and built-in reflector.
Material Nylon




EMP385

TOE CLIPS
Large supportive design with instep guard.
Material Nylon



E-RR1

REFLECTORS



E-RR2

REFLECTOR PLATFORMS
EPS-M (Compatible with Shimano SPD).



E-RR3

REFLECTOR PLATFORMS
EPS-R (Compatible with Look Keo).



EMP392

TOE STRAPS
Webbing strap. Durable nylon webbing. Stainless steel buckles.
450mm (17.71")



EMM208-BP

BINDING



EMM350-BP-AY

BINDING



EMM350-MTT-AY

BINDING



176

Road Shoes

202

MTB Shoes

222

Sandals

200

Track Shoes

220

BMX Shoes

226

Indoor Shoes

SHOES

Index

SHOE TECHNOLOGY

ICON GUIDE



ROAD



TIME TRIAL



TRACK



MTB



BMX



URBAN



INDOOR



ALL MOUNTAIN



TOURING



XC



GRAVEL



DOWNHILL



FREERIDE



ENDURO

GUIDE TO SHOE SOLES

Stiffness **10**

SLIMLINE CARBON FIBER SOLE

An extremely rigid, lightweight full carbon fiber sole for high performance riding.

Stiffness **8**

CARBON FIBER-NYLON COMPOSITE SOLE

A rigid combination of carbon fiber and nylon.

Stiffness **7**

NYLON-FIBERGLASS COMPOSITE SOLE

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

Stiffness **5**

RUBBER SOLE

Sole made form natural rubber.

SHOE FEATURES



ROTARY MICROLOCK CLOSURE

The Rotary Microlock Closure system provides the greatest degree of fit, comfort, and precision adjustment in a bicycle shoe. It is a system, unlike traditional tie-up laces, that allows lace pressure to be equalised around your foot. Foot fit and foot comfort is literally dialled in—fine tuned—by a small mechanical reel that controls a network of laces. On the fly micro adjustment is quick and easy, ensuring perfect fit and comfort for the duration of your ride.



ANTI-SLIP CLEAT SURFACE

anti-slip cleat surface on sole helps keep cleats firmly in place.



MICROLOCK M2 CLOSURE

The Microlock M2 is Exustar's 2nd generation cam and ratchet strap closure system. Besides being lighter and more compact, the M2 has several key advantages over our standard Microlock system:

Buckle is position-adjustable—there is a choice of two bolt hole positions so riders can individualise the basic setup.

1 Ratchet strap is easily replaceable.

2 Extra strong, forged tightening lever is shaped for easy access while riding.

3 Highly responsive release button is perfect in high pressure competition situations.



AIR CONTROL

Strategically placed vents in road shoe soles promote air circulation, which keeps feet cooler and drier.



CLEAT POSITION INDICATOR

Lines and numbers are marked on the shoe sole. Having ascertained your optimum cleat position on one shoe, by using the indicator as a guide, you can easily reproduce that position on the second shoe. Also handy when you replace old cleats with new—just duplicate the original position.



SCREW-ON CLEAT RECESS COVER

Screw-on, reusable cleat recess cover gives a rider the option to use MTB shoes with or without cleats.



REPLACEABLE WALK PAD

A replaceable screw-on TPU anti-slip walk pad. Being able to replace the walk pad helps prolong the life of your shoes.



CARBON FIBER

An extremely rigid, lightweight carbon fiber sole maximizes power transfer.









































Cleat position indicator

Screw-on cleat cover

Screw-on walk pad



ROAD		ADVANCED			EXPERT		COMP		SPORT			
	 E-SR21011	 E-SR21311	 E-SR21211	 E-SR4136	 E-SR446	 E-SR409	 E-SR496	 E-SR419	 E-SR4106	 E-SR466-BK	 E-SR486	
	 E-SR21111-WH	 E-SR21111B-WH				 E-SR4173		 E-SR4152	 E-SR456B	 E-SR456		
MTB		 E-SM3011	 E-SM3111		 E-SM3410-GY	 E-SM3166	 E-SM3510		 E-SM3156	 E-SM374	 E-SM3310B-RD	 E-SM3310-RD
								 E-SM827	 E-SM817			
TRIATHLON		 E-ST2411R-WH										
BMX									 E-SB7011			
SANDALS									 E-SS515D	 E-SS503		
INDOOR		 E-SR4153-WH/BK							 E-SP848	 E-SP858	 E-SP838	
									 E-SP818	 E-SP828		

174

175



CARBON SOLE

FEATURES

ROAD

- Thin, lightweight sole
- Extra-strong arch
- Large vents for maximum cooling
- Anti-slip rubber walk pads reduce wear
- Rigid I-beam structure eliminates torsion in the sole
- Cleat attachment slotted holes allow a greater adjustment range



Rigid I-beam structure eliminates torsion in the sole.




Large vents for maximum cooling.



Anti-slip rubber walk pads reduce wear on shoe sole.



Cleat attachment slotted holes allow a greater adjustment range.



Extra-strong arch.



Anti-slip rubber walk pads reduce wear on shoe sole.

CARBON SOLE FEATURES

ROAD

Rigid I-beam structure
eliminates torsion in the sole.

Thin, lightweight sole.

Extra-strong arch.

Large vents for
maximum cooling.

Cleat attachment slotted
holes allow a greater
adjustment range.

Beefy rubber extra
anti-slip walk pads
increase comfort.



285 g/pc (#42)

Carbon Fiber Sole

An extremely rigid, lightweight full carbon fiber sole for high performance riding.

Stiffness 10

Rotary microlock closure



E-SR21011 **ADVANCED**

CARBON FIBER ROAD SHOES

This advanced level shoe is engineered for maximum performance. It features a comfortable hot melt TPU upper with breathable mesh, dual rotary microlock closures and a lightweight heel counter. An extremely rigid, carbon fiber sole maximizes power transfer, while built-in Air Control vents help keep you cool. Rubber anti-slip walk pads are ready when your feet touch the ground.

- Hot melt upper
- Dual rotary microlock closures
- Slimline carbon fiber sole
- Cleat position indicator
- Rubber anti-slip walk pads
- Air Control sole vents

Upper	Hot melt (non-stitched) TPU with breathable mesh and a lightweight heel counter.
Closure	Dual rotary microlock.
Sole	Carbon fiber with Air Control vents, rubber anti-slip walk pads and cleat position indicator.
Insole	Ergonomic arch-design washable PU.
Interface	3 Bolt hole cleats.
Size	37 - 48





308 g/pc (#42)

Carbon Fiber Sole



An extremely rigid, lightweight full carbon fiber sole for high performance riding.

Rotary microlock closure



E-SR21311 **ADVANCED**
CARBON FIBER ROAD SHOES

This advanced level shoe is engineered for maximum performance. It features a comfortable hot melt TPU upper with breathable mesh, dual rotary microlock closures and a lightweight heel counter. An extremely rigid, carbon fiber sole maximizes power transfer, while built-in Air Control vents help keep you cool. Rubber anti-slip walk pads are ready when your feet touch the ground.

- Hot melt upper
- Dual rotary microlock closures
- Slimline carbon fiber sole
- Cleat position indicator
- Rubber anti-slip walk pads
- Air Control sole vents



295 g/pc (#42)

Carbon Fiber Sole



An extremely rigid, lightweight full carbon fiber sole for high performance riding.

Rotary microlock closure



E-SR21211 **ADVANCED**
CARBON FIBER ROAD SHOES

This advanced level shoe is engineered for maximum performance. It features a comfortable hot melt TPU upper with breathable mesh, dual rotary microlock closures and a lightweight heel counter. An extremely rigid, carbon fiber sole maximizes power transfer, while built-in Air Control vents help keep you cool. Rubber anti-slip walk pads are ready when your feet touch the ground.

- Hot melt upper
- Dual rotary microlock closures
- Slimline carbon fiber sole
- Rubber anti-slip walk pads
- Air Control sole vents
- Cleat position indicator





282 g/pc (#42)

Color Option



E-SR21111



E-SR21111B-WH


Rotary microlock closure



E-SR21111-WH **ADVANCED**
CARBON FIBER ROAD SHOES

Advanced level road race shoe engineered for maximum performance. It features a Smooth Form upper with breathable mesh, and Rotary microlock closure. An extremely rigid, carbon fiber sole maximizes power transfer, while built-in Air Control vents help keep you cool, and rubber anti-slip walk pads are ready when your feet touch the ground.

- Smooth Form upper
- Rotary microlock closure
- Slimline carbon fiber sole
- Rubber walk pads
- Soft heel design for protecting Achilles tendon
- Cleat position indicator



Carbon Fiber Sole

Stiffness **10**

An extremely rigid, lightweight full carbon fiber sole for high performance riding.

Breathable mesh



Upper	Hot melt TPU with breathable mesh.
Closure	Rotary microlock closuer, Velcro straps.
Sole	Carbon fiber with rubber walk pad. Air Control vents, cleat position indicator.
Insole	Ergonomic arch-design washable PU.
Interface	3 bolt hole cleats.
Size	37 - 48



Nylon-fiberglass Composite Sole Stiffness **7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

Rotary microlock closure



E-SR4136 **EXPERT**
ROAD SHOES


This expert level shoe is engineered for maximum performance. It features a comfortable hot melt TPU upper with breathable mesh, dual rotary microlock closures and a lightweight heel counter. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

- Hot melt upper
- Dual rotary microlock closures
- Air Control sole vents
- Cleat position indicator



Upper	Hot melt (non-stitched) TPU with breathable mesh and a lightweight heel counter.
Closure	Dual rotary microlock.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad, and cleat position indicator.
Insole	Ergonomic arch-design washable PU.
Interface	3 bolt hole cleats.
Size	37 - 48

OS409 SOLE FEATURES



Air Control vents (front and rear) provide maximum cooling.

Rigid I-beam structure eliminates torsion in the sole.

TPU walk pads allow safe, anti-slip walking and increase comfort.

TPU walk pads allow safe, anti-slip walking and increase comfort.

Cleat Grip surface keeps cleat firmly in place.

Extra long cleat slots allow greater personalised adjustment of cleat position.

Cleat position indicator

Exceptionally strong Power Arch provides efficient transfer of power to the pedal plus added stability.



294 g/pc (#42)

Color Option



E-SR409-WH

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

Rotary microlock closure



E-SR409 **COMP**
ROAD SHOES

This competition level shoe is engineered for maximum performance. It features a comfortable Smooth Form hot melt TPU upper with breathable mesh, a rotary microlock closure. The nylon-fiberglass composite sole has Power Arch for efficient transfer of power, I-beam structure to eliminate torsion, built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground. Cleat Grip surface keeps your cleat firmly in place at all times.

- Hot melt upper
- Rotary microlock closure
- Power Arch sole
- Rigid I-beam sole structure
- Air Control sole vents
- Cleat Grip
- Cleat position indicator



291 g/pc (#42)

Option



E-SR419PP

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.


Breathable mesh



E-SR419 **SPORT**
ROAD SHOES

This sport level shoe is engineered for maximum performance. It features a comfortable Smooth Form hot melt TPU upper with breathable mesh. The nylon-fiberglass composite sole has Power Arch for efficient transfer of power, I-beam structure to eliminate torsion, built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground. Cleat Grip surface keeps your cleat firmly in place at all times.

- Hot melt upper
- Power Arch sole
- Rigid I-beam sole structure
- Air Control sole vents
- Cleat Grip
- Cleat position indicator





300 g/pc (#42)

Color Option



E-SR496-WH



E-SR496-BL



E-SR496-RD

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.


Rotary microlock closure



E-SR496 **COMP**
ROAD SHOES

It features a contoured, comfortable PU leather upper, with breathable mesh, and Rotary microlock closure. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

- Rotary microlock closures
- Smooth Form upper
- Air Control sole vents
- Cleat position indicator



Upper	PU leather with TPU film, breathable mesh.
Closure	Rotary microlock closure, Velcro straps.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad, cleat position indicator.
Insole	Ergonomic arch-design washable EVA.
Interface	3 bolt hole cleats.
Size	37 - 48





303 g/pc (#42)

Color Option



E-SR4173-RD

Nylon-fiberglass Composite Sole Stiffness **7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

E-SR4173 **COMP**
ROAD SHOES

Comp level road shoe. It features a contoured, comfortable PU leather upper with breathable mesh and a Microlock buckle. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

- Microlock M2 buckle
- Air Control sole vents



Upper	PU leather, breathable mesh.
Closure	Microlock M2 buckle, Velcro straps.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad.
Insole	Washable EVA.
Interface	3 bolt hole cleats.
Size	35 - 50



268 g/pc (#42)

Nylon-fiberglass Composite Sole Stiffness **7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

E-SR4106 **SPORT**
ROAD SHOES

Sport level road shoe. It features a Smooth Form TPU upper with breathable mesh and Velcro straps. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

- Cleat position indicator
- Air Control sole vents



Upper	Hot melt TPU, PU leather, breathable mesh.
Closure	Velcro straps.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad.
Insole	Ergonomic arch-design washable EVA.
Interface	3 bolt hole cleats.
Size	37 - 48



300 g/pc (#42)

Color Option



E-SR466A

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

E-SR466-BK **SPORT**
ROAD SHOES

This shoe features a comfortable PU leather upper with breathable mesh, and Velcro straps. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads for when your feet touch the ground.

- Cleat position indicator
- Air Control sole vents



Upper	PU leather, breathable mesh.
Closure	Velcro straps.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad, cleat position indicator.
Insole	Ergonomic arch-design, washable EVA.
Interface	3 bolt hole cleats.
Size	37 - 48



306 g/pc (#42)

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

E-SR486 **SPORT**
ROAD SHOES

This shoe features a comfortable PU leather upper with breathable mesh, and Velcro straps. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads for when your feet touch the ground.

- Cleat position indicator
- Air Control sole vents



Upper	PU leather, breathable mesh.
Closure	Velcro Straps.
Sole	Nylon-fiberglass composite, with Air Control vents, TPU walk pad.
Insole	Ergonomic arch-design washable EVA.
Interface	3 bolt hole cleats.
Size	37 - 48



320 g/pc (#42)

Color Option



E-SR4152-BK

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

E-SR4152 **SPORT**
ROAD SHOES

Sport level road shoe. This shoe features a comfortable PU leather upper with breathable mesh and Velcro straps. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

- Air Control sole vents
- Breathable mesh



Upper	PU leather, breathable mesh.
Closure	Velcro straps.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad.
Insole	Washable, perforated EVA.
Interface	3 bolt hole cleats. / 2 bolt hole cleats.
Size	35 - 50



286 g/pc (#42)

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

Rotary microlock closure



E-SR446 **EXPERT**
ROAD SHOES

Expert level road shoe. Features a contoured, comfortable PU leather upper, with breathable mesh, and dual rotary microlock closures. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

- Dual rotary microlock closures
- Cleat position indicator
- Air Control sole vents



Upper	PU leather, breathable mesh.
Closure	Dual rotary microlock closures.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad, cleat position indicator.
Insole	Ergonomic arch-design washable EVA.
Interface	3 bolt hole cleats.
Size	37 - 48



328 g/pc (#42)

Option



E-SR456B-PB

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

E-SR456B **SPORT**
ROAD SHOES

Sport level road shoe. Features a contoured, comfortable PU leather upper with breathable mesh, and a Microlock buckle. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

- Microlock M2 buckle
- Cleat position indicator
- Air Control sole vents



Upper	PU leather, breathable mesh.
Closure	Microlock M2 buckle, Velcro straps.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad.
Insole	Ergonomic arch-design washable EVA.
Interface	3 bolt hole cleats.
Size	37 - 48



286 g/pc (#42)

Option



E-SR456-PB

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

E-SR456 **SPORT**
ROAD SHOES

Sport level road shoe. Features a contoured, comfortable PU leather upper with breathable mesh, and Velcro straps. The nylon- fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

- Cleat position indicator
- Air Control sole vents



Upper	PU leather, breathable mesh.
Closure	Velcro straps.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad.
Insole	Ergonomic arch-design washable EVA.
Interface	3 bolt hole cleats.
Size	37 - 48



Carbon Fiber Sole

An extremely rigid, lightweight full carbon fiber sole for high performance riding.



Rotary microlock closure




E-ST241 1R-WH **ADVANCED**
TRIATHLON SHOES

A high-end triathlon shoe engineered for maximum performance. It features a contoured, supple PU leather upper, with extra breathable mesh, large heel loops and a tongueless design for easy entry and quick change. The carbon sole has extra built-in Air Control vents to help keep you cool, and nonslip walk pads are ready when your feet touch the ground.

- Rotary microlock closures
- Extra ventilation
- Reinforced toe
- Rubber walk pads
- Carbon fiber sole
- Cleat position indicator

Upper	PU leather with heel shell, breathable mesh, reflective swatch.
Closure	Rotary microlock closures, Velcro straps.
Sole	Carbon fiber with Air Control vents with rubber walk pad.
Insole	Ergonomic arch-design washable PU.
Interface	3 bolt hole cleats.
Size	37 - 48





Shoes

MTB



CARBON SOLE FEATURES

MTB



Carbon Fiber Sole

Stiffness **10**

An extremely rigid, lightweight full carbon fiber sole for high performance riding.

Toe spikes attachable



Rotary microlock closure



E-SM3111 **ADVANCED**

MTB SHOES

A MTB shoe engineered for top performance. It features a hot melt TPU upper with breathable mesh, dual rotary microlock closures with a pressure-relieving counter-directional Velcro strap, and a lightweight heel counter. A slimline carbon fiber sole minimizes weight and thickness without sacrificing stiffness. It is equipped with beefy anti-slip rubber tread, built-in toe and side guards, while our Pedal Grip switch provides friction when the cleat is not engaged, and the Cleat Grip surface keeps your cleat firmly in place at all times.

- Hot melt upper
- Dual rotary microlock closures
- Lightweight heel counter
- Slimline carbon fiber sole
- Beefy mud-shedding rubber tread
- Pedal Grip switch
- Cleat Grip
- Cleat position indicator



Upper	Hot melt (non-stitched) TPU with breathable mesh, lightweight heel counter.
Closure	Dual rotary microlock closures, Velcro strap.
Sole	Slimline Carbon fiber with rubber tread, rubber toe and side guards, Pedal Grip switch, Cleat Grip surface, cleat position indicator, toe spikes attachable.
Insole	Ergonomic arch-design washable PU.
Interface	2 bolt hole cleats.
Size	37 - 48



309 g/pc (#42)

Carbon Fiber Sole

Stiffness 10

An extremely rigid, lightweight full carbon fiber sole for high performance riding.

Toe spikes attachable



Rotary microlock closure



E-SM3011 **ADVANCED**
CARBON FIBER MTB SHOES

A MTB shoe engineered for top performance. It features a hot melt TPU upper with breathable mesh, dual rotary microlock closures and a lightweight heel counter. A slimline carbon fiber sole minimizes weight and thickness without sacrificing stiffness. It is equipped with beefy anti-slip rubber tread, built-in toe and side guards, while our Pedal Grip swatch provides friction when the cleat is not engaged, and the Cleat Grip surface keeps your cleat firmly in place at all times.

- Dual rotary microlock closures
- Slimline carbon fiber sole
- Lightweight heel counter
- Beefy mud-shedding rubber tread
- Pedal Grip swatch
- Cleat Grip
- Cleat position indicator



384 g/pc (#42)

Color Option



E-SM3410

Nylon-fiberglass Composite Sole

Stiffness 7

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

Toe spikes attachable



Rotary microlock closure



E-SM3410-GY **EXPERT**
MTB SHOES

Expert level MTB shoe. It features a contoured, comfortable PU leather upper with breathable mesh and dual rotary microlock closures. The nylon-fiberglass composite sole has a rubber tread for all-terrain conditions and an anti-slip pedal pad.

- Dual rotary microlock closures
- Mud-shedding rubber tread
- Reinforced toe



Upper	PU leather, breathable mesh.
Closure	Dual rotary microlock closures.
Sole	Nylon-fiberglass composite with rubber tread, anti-slip pedal pad, toe spikes attachable, cleat position indicator.
Insole	Ergonomic arch-design, washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48



Color Option



Nylon-fiberglass Composite Sole Stiffness **7**
A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

Toe spikes attachable



Rotary microlock closure



E-SM3510 **COMP**
MTB SHOES

It features a contoured, comfortable PU leather upper with breathable mesh and a rotary microlock closure. The nylon-fiberglass composite sole has anti-slip walk pads that are ready when your feet touch the ground.

- Smooth form upper
- Reinforced toe
- Rotary microlock closure
- Mud-shedding rubber tread
- Walk pads



Upper	PU leather with TPU, breathable mesh.
Closure	Rotary microlock closure, Velcro straps.
Sole	Nylon-fiberglass composite with rubber tread, anti-slip pedal pad, toe spikes attachable, cleat position indicator.
Insole	Ergonomic arch-design washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48



Nylon-fiberglass Composite Sole Stiffness **7**
A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

Breathable mesh



E-SM3156 **SPORT**
MTB SHOES

This sport level shoe is engineered for maximum performance. It features a comfortable Smooth Form hot melt TPU upper with breathable mesh and a microlock M2 buckle. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

- Smooth Form hot melt upper
- Microlock M2 buckle
- Reinforced toe
- Air Control sole vents



Upper	Smooth Form hot melt (non-stitched) TPU with breathable mesh and a rubber-reinforced toe.
Closure	Microlock M2 buckles, Velcro straps.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad, and cleat position indicator.
Insole	Ergonomic arch-design washable PU.
Interface	2 bolt hole cleats.
Size	37 - 48

FABRIC-LAMINATE COMPOSITE FEATURES

Fabric-Laminate Composite

A new shoe upper technology that fuses a knitted layer of fabric with a transparent, folded laminate, allowing a variety of colours and interesting patterns to be seen and yet be protected by the durable covering.

- Transparent surface
- Highly abrasion resistant
- Water resistant and dirt resistant

Fabric-laminate composite



387 g/pc (#42)

Nylon-fiberglass Composite Sole Stiffness 7

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

Insole made from recycled materials



E-SM3166 EXPERT

MTB SHOES

This expert level shoe features knitted fabric-laminate composite, and a nylon-fiberglass composite sole. Anti-slip walk pads are ready when your feet touch the ground.

- Transparent surface
- Highly abrasion resistant
- Water resistant and dirt resistant



Upper	Knitted fabric-laminate composite.
Closure	Laces.
Sole	Nylon-fiberglass composite with Air Control vents, TPU walk pad.
Insole	Ergonomic arch-design made from recycled materials.
Interface	2 bolt hole cleats.
Size	37 - 48



370 g/pc (#42)

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

E-SM374 **SPORT**

MTB SHOES

This MTB shoe features a contoured, comfortable PU leather upper, with breathable mesh, and Velcro straps. The nylon-fiberglass composite sole has integrated TPU tread-perfect for all-terrain conditions.



Upper	PU leather, breathable mesh.
Closure	Velcro straps.
Sole	Nylon-fibreglass composite with TPU tread, anti-slip pedal pad, toe spikes attachable.
Insole	Washable, perforated EVA.
Interface	2 bolt hole cleats.
Size	35 - 50





Color Options



Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

E-SM3310B-RD **SPORT**

MTB SHOES

This MTB shoe features a contoured, comfortable PU leather upper, with breathable mesh, and a Microlock buckle. Nylon-fiberglass composite with rubber tread, anti-slip pedal pad. For all-terrain conditions.

- Microlock M2 buckle



Upper	PU leather, breathable mesh.
Closure	Microlock M2 buckle, Velcro straps.
Sole	Nylon-fiberglass composite with rubber tread, anti-slip pedal pad.
Insole	Ergonomic arch-design washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48



Color Options



Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

E-SM3310-RD **SPORT**


MTB SHOES

This MTB shoe features a contoured, comfortable PU leather upper, with breathable mesh, and Velcro straps. Nylon-fiberglass composite with rubber tread, anti-slip pedal pad. For all-terrain conditions.



Upper	PU leather, breathable mesh.
Closure	Velcro straps.
Sole	Nylon-fiberglass composite with rubber tread, anti-slip pedal pad.
Insole	Ergonomic arch-design washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48

NEW GENERATION SEMI-FLEXIBLE MTB SOLE



Wider design.




Mud-shredding, water-dispersing, anti-slip tread.




Semi-flexible mid-sole makes for a more walkable shoe.



Lightweight EVA wedge.



Chamfered cleat recess allows easier cleat engagement.



Durable rear pad.



355 g/pc (#42)

Color Option

Color Option



E-SM827-BK

Rubber Sole

Sole made from natural rubber.



E-SM827 **SPORT**

MTB SHOES

Sport level MTB shoe. This all-round MTB shoe features contoured, hot melt PU sheet with breathable mesh and a semi-flexible rubber sole. Compatible with clip-in or platform pedals.

- Smooth form upper
- Semi-flexible sole
- Cleat position indicator



Upper	Hot melt TPU, breathable mesh.
Closure	Velcro straps.
Sole	Rubber with EVA wedge.
Midsole	Nylon.
Insole	Ergonomic arch-design washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48



341 g/pc (#42)

Rubber Sole

Sole made from natural rubber.



Elastic lace holder



E-SM817 **SPORT**

MTB SHOES

This all-round MTB shoe features a contoured, hot melt PU sheet with breathable mesh, and a rubber sole. Compatible with clip-in or platform pedals. New generation semi-flexible sole.

- Elastic lace holder
- Cleat position indicator



Upper	Hot melt TPU with breathable mesh.
Closure	Laces.
Sole	Rubber with EVA wedge.
Midsole	Nylon
Insole	Ergonomic arch-design washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48



Rubber Sole

Sole made from natural rubber.



Velcro straps



E-SB7011 **SPORT**

BMX SHOES

Built to be tough and durable on the outside, yet soft and comfortable on the inside. It features a detachable lace cover, breathable upper, a natural rubber non-slip sole, and a midsole that utilizes Exustar's proprietary dual-stiffness technology. The shoe is designed to be used with clip-in pedals (2 bolt hole cleats).

- Detachable Velcro lace cover
- Highly breathable
- Non-slip sole



Upper	PU leather with elastic mesh and large air holes.
Closure	Laces, detachable Velcro lace cover.
Sole	Non-slip rubber.
Midsole	Bio sole
Insole	Washable, EVA.
Interface	2 bolt hole cleats.
Size	37 - 48





469 g/pc (#42)

Color Option



E-SS515E



E-SS515F

Protective toe guard



E-SS515D **SPORT**
MTB SANDALS

Sport level sandals. This MTB sandal features a comfortable upper with four adjustable straps, toe guard, and a rubber sole. Compatible with clip-in or platform pedals.

- Toe guard
- Breathable strap underlay for barefoot comfort
- Screw-on cleat recess cover



Rubber Sole

Sole made from natural rubber.

Stiffness **5**

Screw-on cleat recess cover



Some Exustar shoes come with our 2nd generation cleat recess cover which is screw-on, and reusable. The cleat recess cover gives a rider the option to use shoes with or without cleats/clip-in pedals. To ride without cleats, the cover remains in place. No more knives and messy cutting.

Upper	Natural suede, breathable strap underlay.
Closure	Velcro straps.
Sole	Rubber with EVA wedge. Screw-on cleat recess cover.
Midsole	Bio sole.
Footbed	EVA.
Interface	2 bolt hole cleats.
Size	37 - 38, 39 - 40, 41 - 42, 43 - 44, 45 - 46, 47 - 48



415 g/pc (#42)

"best touring shoes."
– Forks on Wheels

Screw-on cleat recess cover



Some Exustar shoes come with our 2nd generation cleat recess cover which is screw-on, and reusable. The cleat recess cover gives a rider the option to use shoes with or without cleats/clip-in pedals. To ride without cleats, the cover remains in place. No more knives and messy cutting.

Rubber Sole

Sole made from natural rubber.

Stiffness **5**

Protective toe guard



E-SS503 **SPORT**
MTB SANDALS

This MTB sandal features a comfortable upper with four adjustable straps, toe guard, and a rubber sole. Compatible with clip-in or platform pedals.

- Toe guard
- Breathable strap underlay for barefoot comfort
- Screw-on cleat recess cover



Thick, comfortable footbed



Strap underlay for barefoot comfort



Upper	PU leather, neoprene strap underlay, reflective swatch.
Closure	Velcro straps.
Sole	Rubber with screw-on cleat recess cover.
Midsole	Bio sole.
Footbed	EVA.
Interface	2 bolt hole cleats.
Size	37 - 38, 39 - 40, 41 - 42, 43 - 44, 45 - 46, 47 - 48



NEW GENERATION SEMI-FLEXIBLE SPORT SOLE



386 g/pc (#42)

Rubber Sole

Sole made from natural rubber.




Breathable mesh



E-SP848 **SPORT** INDOOR CYCLING SHOES

This sport level shoe is engineered for maximum performance. It features a comfortable hot melt TPU upper with breathable mesh and a flexible rubber sole.

- Hot melt upper
- Cleat position indicator



Upper	Hot melt (non-stitched) TPU with breathable mesh.
Closure	Laces.
Sole	Recycled rubber with EVA wedge.
Midsole	Nylon.
Insole	Ergonomic arch-design washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48



391 g/pc (#42)

Rubber Sole

Sole made from natural rubber.




Breathable mesh



E-SP858 **SPORT**
INDOOR CYCLING SHOES

This sport level shoe is engineered for maximum performance. It features a comfortable hot melt TPU upper with breathable mesh and a flexible rubber sole.



Upper	Hot melt (non-stitched) TPU with breathable mesh.
Closure	Velcro straps.
Sole	Recycled rubber with EVA wedge.
Midsole	Nylon.
Insole	Ergonomic arch-design washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48



358 g/pc (#42)

Rubber Sole


Sole made from natural rubber.



E-SP838 **SPORT**
INDOOR CYCLING SHOES

Sport level indoor shoe. It features a Smooth Form upper with breathable mesh and Velcro straps. The highly flexible lightweight EVA with environmentally-friendly recycled rubber sole enables non-slip, comfortable walking. Compatible with clip-in or platform pedals.

- Smooth Form upper
- Highly flexible midsole
- Cleat position indicator



Upper	Hot melt (non-stitched) TPU with breathable mesh.
Closure	Velcro straps.
Sole	Recycled rubber with EVA wedge.
Midsole	Nylon.
Insole	Ergonomic arch-design washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48



309 g/pc (#42)

Color Option



E-SP818-BL


Rubber Sole

Sole made from natural rubber.



E-SP818 **SPORT**
INDOOR CYCLING SHOES

This versatile sneaker-style shoe is designed for indoor cycling, urban cycling or recreational cycling and is compatible with clip-in pedals or platform pedals. A compound rubber sole provides optimal grip on and off the bike.



Upper	Hot melt (non-stitched) TPU with breathable mesh.
Closure	Velcro straps.
Sole	Recycled rubber with EVA wedge.
Midsole	Nylon.
Insole	Ergonomic arch-design washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48



302 g/pc (#42)


Rubber Sole

Sole made from natural rubber.



E-SP828 **SPORT**
INDOOR CYCLING SHOES

This versatile sneaker-style shoe is designed for indoor cycling, urban cycling or recreational cycling and is compatible with clip-in pedals or platform pedals. A compound rubber sole provides optimal grip on and off the bike.



Upper	Hot melt (non-stitched) TPU with breathable mesh.
Closure	Laces.
Sole	Recycled rubber with EVA wedge.
Midsole	Nylon.
Insole	Ergonomic arch-design washable EVA.
Interface	2 bolt hole cleats.
Size	37 - 48



302 g/pc (#42)

SIZE 35–48

Nylon-fiberglass Composite Sole **Stiffness 7**

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

SIZE 49–59

Sidewall Carbon Fiber Sole **Stiffness 10**

Our top of the line sole, Sidewall offers maximum power transfer, impact protection, comfort, and light weight.

E-SR4153-WHBK **ADVANCED**

FULL SIZE RANGE SHOES

An indoor cycling shoe engineered for top performance. It features a contoured, supple PU leather upper, with breathable mesh, and a Microlock buckle. The sole has built-in Air Control vents to help keep you cool, and non-slip walk pads are ready when your feet touch the ground. With nylon-fiberglass composite or carbon fiber soles (depending on size).

- Wide range of sizes including extra large
- Microlock M2 buckle
- Cleat position indicator



Microlock M2 closure



- Upper PU leather, breathable mesh.
- Closure Microlock M2 buckle, Velcro straps.
- Sole Nylon-fiberglass composite (35-48).
Carbon fiber sole (49-59).
- Insole Washable perforated EVA.
- Interface 3 bolt hole cleats.
- Size 35 - 48 (Nylon-fiberglass composite sole);
49 - 59 (Carbon fiber sole).



E-SR4153-WH/BK

FULL SIZE RANGE SHOES (Size 35-59)

Exustar introduces our first large size cycling shoes. With sizes ranging from 35–59, this high-end product is perfect for the discerning indoor or outdoor cyclist with larger feet.

Color Options



E-SR4153-WH/OG



E-SR4153-BK/WH



E-SR4153



SIZE 35–48

Stiffness 7

Nylon-fiberglass Composite Sole

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



SIZE 49–59

Stiffness 10

Sidewall Carbon Fiber Sole

Our top of the line sole, Sidewall offers maximum power transfer, impact protection, comfort, and light weight.


SIZE 35–48

EURO	35	36	37	38	39	40	41	42	43	44	45	46	47	48
US	3.5	4	4.5	5.5	6.5	7	8	8.5	9.5	10.5	11	12	13	13.5
UK	2.5	3	3.5	4.5	5.5	6	7	7.5	8.5	9.5	10	11	12	12.5
JP	22.5	23.0	23.5	24.0	25.0	25.5	26.0	27.0	27.5	28.5	29.0	29.5	30.5	31.0

SIZE 49–59

EURO	49	50	51	52	53	54	55	56	57	58	59
US	14.5	15	16	16.5	17.5	18	19	20	20.5	21.5	22
UK	13.5	14	15	15.5	16.5	17	18	19	19.5	20.5	21
JP	31.5	32.0	33.0	33.5	34.0	35.0	35.5	36.0	37.0	37.5	38.0


FULL SIZE RANGE SHOES



SIZE 35–48

NYLON-FIBERGLASS COMPOSITE SOLE

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



SIZE 49–59

SLIMLINE CARBON FIBER SOLE

An extremely rigid, lightweight full carbon fiber sole for high performance riding.

HELMETS



HELMET TECHNOLOGY



AIR VENTS

Help keep your head cool at the hottest times.



BUG BLOCK MESH LINER

Keeps flying insects at bay.



VENTILATION CHANNELS

In conjunction with Air Vents, help regulate the flow of cool air and the expulsion of hot air from around your head.



SUN VISOR

Removable, snap-in visor helps keep sun off your face.



RATCHET WHEEL SIZE ADJUSTMENT

On or off your head, adjustment is one-handed cinch.



POSITION LOCKING STRAP BUCKLE

After adjusting straps and locking them in position, you won't have to worry about them again.



210 g/pc

Color Options



E-BHR122-MRD



E-BHR122-MWH **SPORT**

BICYCLE HELMET

In-mold, bonded construction with 30 air-vents.

- Secure, adjustable locking buckle harness.
- Ratchet wheel allows easy micro-sizing adjustment.
- Removable, washable padding.



Meets CE safety standard.
Size M (55-58cm), L (58-61cm)



288 g/pc

Color Options



E-BHM122-1-MCMRD E-BHM122-1-MCMGR E-BHM122-1-MCMBL

E-BHM122-1-MCMOD **ADVANCED**

BICYCLE HELMET

In-mold, bonded construction with 20 air-vents.

- Secure, adjustable locking buckle harness.
- Ratchet wheel allows easy micro-sizing adjustment.
- Bug mesh keeps insects out.
- Removable blade visor blocks sunlight.
- Removable, washable padding.



Meets CE safety standard.
Size 56 - 62 cm



230 g/pc



Meets CE safety standard.
Size M (54-58cm), L (58-62cm)

E-BHM125-OD **ADVANCED**

BICYCLE HELMET

In-mold, bonded construction with 25 air-vents.

- Secure, adjustable locking buckle harness.
- Ratchet wheel allows easy micro-sizing adjustment.
- Bug mesh keeps insects out.
- Removable blade visor blocks sunlight.
- Removable, washable padding.



263 g/pc

Color Options



E-BHC301-MRD E-BHC301-MYL



Meets CE safety standard.
Size 56 - 60 cm.

E-BHC301-MBL **SPORT**

BICYCLE HELMET

In-mold, bonded construction with 33 air-vents.

- Secure, adjustable locking buckle harness.
- Ratchet wheel allows easy micro-sizing adjustment.
- Bug mesh keeps insects out.
- Removable blade visor blocks sunlight.
- Removable, washable padding.





















EYEWEAR










EYEWEAR TECHNOLOGY

FEATURING REMOVABLE, REPLACEABLE LENSES FOR ALL SEASONS

Cat.	Visable	Weather	Usage
	80%~100%		Clear lenses, for night time or low light riding .
	43%~80%		Low light riding
	18%~43%		Sunny conditions
	8%~18%		Suitable for sunny day or water sports .
	3%~8%		Snowy conditions. (Unsuitable for driving)

MATERIAL	CHARACTERISTICS
 Polarized Lenses (PCPL)	Exustar PCPL glasses are constructed with lenses from Sankoh of Japan. Polarized film is laminated between two lenses and acts like a special window shade to block harmful light rays, while letting in full vision • Outstanding color perception • Enhanced contrast vision • Glare-free • 100% UV protection • Impact resistant • Scratch-resistant
 Polycarbonate Lenses (PC)	• 100% UV protection • Impact resistant • Heat resistant • Lightweight
 TR90 Frames	Manufactured from TR90 material by EMS Grilamid of Switzerland. • Heat resistant • Chemical resistant • Lightweight
 Polycarbonate Frames (PC)	• Impact resistant • Heat resistant • Lightweight
 Eyeglass Lens Frames	Attach eyeglass lenses to frames.
 Sunglasses Strap	For use during vigorous sports.

DARK GREY	ORANGE	TRANSPARENT
 Dark grey 8%~18%  LV. 3 8%~18%	 Orange 43%~80%  LV. 1 43%~80%	 Transparent 43%~80%  LV. 1 43%~80%



E-CSG29-BK

CYLINDRICAL LENS SUNGLASSES

- Anti-fouling, anti-fog coating, anti-scratch
- Water and water vapour repellent lens
- Easy to clean lens
- Face-fitting shape
- UV 400 protection

CE certified.



Frame	Polycarbonate: non-slip earpieces, adjustable nose pad.
Lens	One-piece cylindrical polycarbonate: water and water vapour repellent, anti-fouling, anti-static, easy to clean.
UV	Protection 400.



E-CSG30

SUNGLASSES

- Durable sunglasses featuring non-slip earpieces to keep glasses in place.
- One-piece UV400 lens
 - Lightweight, durable TR90 polymer frame
 - Non-slip earpieces

CE certified.



Frame	Polycarbonate: non-slip earpieces.
Lens	One-piece PC polarized.
UV	Protection 400.



E-CSG24-MBL

SUNGLASSES

- Durable sunglasses featuring non-slip earpieces to keep glasses in place.
- One-piece UV400 lens
 - Lightweight, durable TR90 polymer frame.
 - Adjustable nose pad.
 - Face-fitting shape.
 - With two sets of tinted lens.

CE certified.



Color Options



E-CSG24-TRGY



E-CSG24-MBK



E-CSG24-WH



Red Revo Dark grey Transparent



E-CSG23

SUNGLASSES

- Durable sunglasses featuring non-slip earpieces to keep glasses in place.
- One-piece UV400 lens
 - Non-slip earpieces
 - Adjustable nose pad

CE certified.



Color Options



E-CSG23-RD



Red Revo



E-CSG23-WH



Blue Revo




E-CSG23-GY



Blue Revo

- Frame Polycarbonate, non-slip earpieces. UV400 protection.
- Lens One-piece polycarbonate.
- Nose Pad Adjustable.



Dark grey Transparent



Color Options



E-CSG18-BK (Black-red)



E-CSG18-WH (White-red)

E-CSG18-GR (Green-blue)


PHOTOCHROMIC SUNGLASSES

Photochromic lenses change from light to dark automatically depending on the amount of ultraviolet light exposure.

- Adjustable lens angle allows two light settings.
- Adjustable temple.
- Adjustable nose pad.
- Durable TR90 polymer frame.
- Anti-scratch nano lens coating.
- UV400 protection



Visibility Range 13 - 53% (Cat. 1 - Cat. 3).





PATENTED



28 g/pc

E-BC64-MBK
CARBON FIBER BOTTLE CAGE



Color Option



E-BC64-BL



E-BC64-YL

Colors Black, Blue, Yellow.
Weight 28 ± 2 g/pc.

PATENTED



Black

E-BC501-BK
BOTTLE CAGE

Paint finished nylon+fiberglass.

Color Options



E-BC501-WH



E-BC501-RD

Colors Black, White, Red.

E-BC200C
BOTTLE CAGE
PC



Color Options



E-BC200K

Colors Carbon fiber finish, Black.

PATENTED



E-BC500-BK
BOTTLE CAGE
Paint finished nylon+fiberglass.

Color Options



E-BC500-WH

E-BC500-SL

E-BC500-RD

E-BC500-BL

Colors Black, White, Silver, Red, Blue.

PATENTED



E-BC63TF-SL
CARBON FIBER BOTTLE CAGE

Color Options



E-BC63-RD (Red)



E-BC63-YL
(Fluorescent Yellow)

Colors Silver, Red, Yellow.
Weight 15 ± 2 g/pc.

PATENTED



E-BC503-GY
BOTTLE CAGE
Paint finished nylon+fiberglass.

Color Options



E-BC503-BL



E-BC503-BK



E-BC503-WH

Colors Grey, Blue, Black, White.

PATENTED



E-BC504-BK
BOTTLE CAGE
Paint finished nylon+fiberglass.

Color Options



E-BC504-GY



E-BC504-WH



E-BC504-RD

Colors Black, Grey, White, Red.



Color Options



E-BBW10-1-BK

E-BBW10-1

WATER BOTTLE

- Easy open nozzle
- Full flow water stream
- Easy grip cap



BPA-free Polypropylene.
Capacity 600 ml.



E-BBW11-1

WATER BOTTLE

- Easy open nozzle
- Full flow water stream
- Easy grip cap




BPA-free Polypropylene.
Capacity 800 ml.





GLOVE TECHNOLOGY



E-CG103 PRO

GLOVES

- Anatomic, seamless design
- Multi-density padding
- High-grip textured palm
- Breathable vented palm
- Comfortable, durable and machine-washable
- Silicon-coated pull rings for easy removal



Padding	A seamless molded palm with multi-density.
Palm	Seamless, molded one-piece 3D design with high-grip vented palm.
Back	Polyester with digital sublimation printing.
Thumb Wipe	Terry cloth.
Size	S-M-L-XL



E-CG104 PRO

GLOVES

- Anatomic, seamless design
- Multi-density padding
- High-grip textured palm
- Breathable vented palm
- Comfortable, durable and machine-washable
- Silicon-coated pull rings for easy removal



Padding	Seamless, molded multi-density.
Palm	Seamless, molded one-piece 3D design with high-grip vented palm.
Back	Polyester with digital sublimation printing.
Thumb Wipe	Terry cloth.
Size	S-M-L-XL



Color Option



E-CG737

E-CG736 **COMP**

FULL FINGER GLOVES

- Touch screen fingertips.
- Silicon-coated fingers for better grip.
- Breathable vented palm.
- Comfortable, durable and machine-washable.

DURABLE

BREATHABLE

ANTI-SLIP

Palm	Microfiber leather with vented palm and silicon-printing.
Back	Polyester with digital sublimation printing.
Wrist	Pliable Spandex.
Thumb Wipe	Terry cloth.
Size	S - M - L - XL.





Color Option



E-CG905-WH

E-CG905-RD COMP

GLOVES

- Breathable vented palm
- Comfortable, durable and machine-washable
- Silicon grip



Padding	Gel (3mm).
Palm	Microfiber leather with vented palm.
Back	Pliable, breathable spandex.
Thumb Wipe	Terry cloth.
Closure	Adjustable Velcro straps.
Size	S - M - L - XL.



Color Option



E-CG950-RD/BK

E-CG950 COMP

RACING OR TOURING GLOVES

- Super shock absorbing gel padding
- Breathable vented palm
- Pull rings for easy removal
- Comfortable, durable and machine-washable



Padding	Gel (4.5 mm).
Palm	Microfiber leather with air vents.
Back	Pliable, breathable spandex.
Thumb Wipe	Sweat absorbing terry cloth.
Closure	Adjustable Velcro straps.
Size	XS-S-M-L-XL-XXL



Color Option



E-CG343-GY



E-CG343-GR



E-CG343-WHRD

E-CG343-BL SPORT

GLOVES

- Breathable vented palm
- Comfortable, durable and machine-washable



Padding	Foam.
Palm	Microfiber leather with vented palm.
Back	Pliable, breathable spandex.
Thumb Wipe	Terry cloth.
Closure	Adjustable Velcro straps.
Size	S - M - L - XL.



Color Option



E-CG282-RD

E-CG282-AG SPORT

GLOVES

- Shock absorbing padding
- Breathable vented palm
- Comfortable, durable and machine-washable



Padding	Foam.
Palm	Microfiber leather with air vents.
Back	Pliable, breathable spandex.
Thumb Wipe	Sweat absorbing terry cloth.
Closure	Adjustable Velcro straps.
Size	S-M-L-XL




Color Option



E-CG982-WH **PRO**

GEL-PRO GLOVES

- Super shock absorbing 3D gel-pro padding
- Breathable vented palm
- Sleek, aerodynamic design
- Pull on/off tab with silicon grip
- Comfortable, durable and machine-washable




Gel Padding

Gel-Pro Padding, no matter what position of rider's hand on the handlebar, all could make the rider feel comfortable.

Pull Rings

For easy glove removal.

Padding	3D gel-pro (4.5 mm), gel (3 mm).
Palm	Microfiber leather with air vents, pull on/off tab with silicon grip.
Back	Pliable, breathable spandex.
Wrist	Tight-fitting, pliable, breathable spandex with silicon grip band.
Other	Silicon finger grip band.
Size	S-M-L-XL



E-CG170A **PRO**

GOAT LEATHER GEL GLOVES

- Shock absorbing gel padding
- Soft, flexible Pittard's goat leather palm
- Breathable vented palm
- Reflective highlights for night safety
- Comfortable, durable and machine-washable



Padding	Gel (3 mm).
Palm	Pittard's goat leather.
Back	Pliable, breathable spandex with reflective highlights.
Thumb Wipe	Sweat absorbing terry cloth.
Closure	Adjustable Velcro straps.
Size	S-M-L-XL



E-CG904W **COMP**

WOMEN'S GEL GLOVES


- Gel padding
- Synthetic suede reinforcing pull ring for easy take off
- Breathable vented palm
- Comfortable, durable and machine-washable



Padding	Gel (3mm).
Palm	Microfiber leather.
Back	Pliable, breathable spandex.
Thumb Wipe	Terry cloth.
Size	S - M - L - XL.



CLOTHING TECHNOLOGY



ICON GUIDE

AERO RACE FIT	ANTI-SLIP	3D CUTTING	UV PROTECTION
QUICK DRY	WATER RESISTANT	4-WAY STRETCH	DURABLE
BREATHABLE	WINDPROOF	AERO RACE FIT	3D CONTOURED
REFLECTIVE	DEODORIZING	COMPRESSION	YKK ZIPPER
WATER RESISTANT POCKET			

Classic moisture-wicking fabric.

The 2nd generation of our RideCool fabric has the same moisture wicking, heat-retarding, and heat expelling properties that keep you cool and comfortable, but is now 13% lighter, and softer.

All seasons use Polyester

Stay Dry Factor Air Flow

Quick drying fabric with UV15+protection.

Thanks to the perforated structure, this fabric provides a high sensation of freshness, keeping the body dry. The surface, smooth and compact, makes this fabric seem like a second skin. Italian made.

- Breathable
- Four-way stretch
- Quick drying
- Thin
- UV protection

Stay Dry Factor Air Flow UV Protection

Lets cool air in, expels hot air.

RideAir 2 features a large hole weave that amplifies the cooling function of the fabric. It also features excellent moisture wicking properties, efficient heat-retarding and heat expulsion characteristics, and a high level of elasticity.

Summer use Polyester + Elastane

Stay Dry Factor Air Flow Elasticity Factor

Lets cool air in, expels hot air.

This ultralight mesh has a very open structure that promotes great breathability, keeping the body cool and dry. Its three-dimensional appearance enriches the aesthetics of the garment. Italian made.

- Breathable
- Four-way stretch
- Quick drying
- Thin

Stay Dry Factor Air Flow Elasticity Factor

Maximum elasticity, maximum comfort.

RideFlex fabric features excellent moisture wicking properties, heat-retarding and heat expulsion characteristics, with the addition of elastic fiber that hugs the body and supports the muscles.

All seasons use Polyester + Elastane

Air Flow Stay Dry Factor Elasticity Factor

Anti-slip elastic fabric.

RideNON-SLIP fabric was created to keep cuffs and leg openings firmly in place without any loss of comfort.

All seasons use Spandex

Elasticity Factor

Classic moisture-wicking fabric.

Classic moisture-wicking now comes in a brilliant, glossy fabric. The effective moisture wicking properties of RideCool 3 fabric helps keep your skin dry, while its heat-retarding, and heat expulsion characteristics assist in keeping you cool and comfortable.

All seasons use Triangular profile polyester

Stay Dry Factor Air Flow

Quick drying fabric with UV15+protection.

A double knitted fabric with an innovative design made with 100% polyester. It has excellent mechanical elasticity, resilience, breathability and moisture wicking properties. Italian made.

- Breathable
- Quick drying
- Thin
- UV protection

Stay Dry Factor Air Flow UV Protection

Lets cool air in, expels hot air.

RideAir 3 features a large hole weave that amplifies the cooling function of the fabric. It also features excellent moisture wicking properties, efficient heat-retarding and heat expulsion characteristics, and a high level of elasticity.

Summer use Polyester + Elastane

Stay Dry Factor Air Flow Elasticity Factor

High-tech moisture-wicking fabric.

RideElite is our most advanced fabric, a new standard for high performance cycle sports. RideElite blends the state-of-the-art moisture wicking properties of Coolmax fabric, with the external heat-retarding, and body heat expulsion characteristics of CoolBestII. It is a unique formula, perhaps the coolest, most comfortable cycle fabric on the market.

For hot, humid weather use / All seasons use Polyester (Coolmax 45% + Coolbest II 55%)

Stay Dry Factor Air Flow UV Protection

Fabric with maximum elasticity, maximum comfort with UV40+ protection..

RideFlex 3 fabric features excellent moisture wicking properties, heat-retarding and heat expulsion characteristics, with the addition of elastic fiber that hugs the body and supports the muscles. RideFlex 3 is softer, and has even greater elasticity than earlier generations of Rideflex.

All seasons use Polyester+Elastane

Air Flow Stay Dry Factor Elasticity Factor UV Protection

Body hugging muscle support.

Our moisture wicking elastane stretch fabric hugs the body and supports the muscles, springing back into shape time after time. With the added benefit of a special quick dry treatment, RideElastane spreads moisture over a larger surface, speeding evaporative cooling—that means a dryer ride. Smooth, comfortable surface.

All seasons use Nylon + Elastane

Air Flow Stay Dry Factor Elasticity Factor UV Protection

CLOTHING TECHNOLOGY

Front and Rear Fabric – RideCool 10

A fabric with excellent mechanical elasticity, resilience, breathability, quick drying and UV protection properties. Italian made.

Side Fabric – RideAir 5

This ultralight mesh has a very open structure that promotes great breathability, keeping the body cool and dry. Four-way stretch fabric, its three-dimensional appearance enriches the aesthetics of the garment. Italian made.

Sleeve Fabric – RideFlex 3


This fabric features excellent moisture wicking properties, heat-retarding and heat expulsion characteristics, with the addition of elastic fiber that hugs the body and supports the muscles—eliminating the need for elastic cuffs.

Sweatproof Pocket with Invisible Zipper

A practical sweatproof pocket that keeps your small items clean and dry. Equipped with a smooth-running YKK invisible zipper.

Waistband

A strong, thin and grippy silicon-free band that is breathable and comfortable on the skin. Italian made.



E-CJ116 PRO

JERSEY

- Close-fitting and aerodynamic
- Quick drying fabric
- Lets cool air in, expels hot air
- Elastic, non-slip body-hugging
- UV protection
- 4 pockets



Primary Fabric	RideCool 10.
Secondary Fabric	RideAir 5.
Pockets	Four, including one Invisible zippered pocket.
Closure	Full-length zipper.
Waistband	Anti-slip rear waistband.
Cuffs	RideFlex 3.
Size	S-M-L-XL

E-CJ116				
Measure	S	M	L	XL
Size/cm				
1/2 Bust	41.5	44	46.5	49
Sleeve	24	25	26	27
Length	62	64.5	67	69.5

CLOTHING TECHNOLOGY

Front and Rear Fabric – RideCool 9

Thanks to the perforated structure, this fabric provides a high sensation of freshness, keeping the body dry. The surface, smooth and compact, makes this fabric seem like a second skin. The fabric stretches four-ways and is breathable, quick drying, and has UV protection. Italian made.

Sleeve Fabric – RideFlex 3

This fabric features excellent moisture wicking properties, heat-retarding and heat expulsion characteristics, with the addition of elastic fiber that hugs the body and supports the muscles—eliminating the need for elastic cuffs.

Sweatproof Pocket with Invisible Zipper

A practical sweatproof pocket that keeps your small items clean and dry. Equipped with a smooth-running YKK invisible zipper.

Waistband


A strong, thin and grippy silicon-free band that is breathable and comfortable on the skin. Italian made.



Color Options



E-CJ115-BL



E-CJ115 **PRO**

JERSEY

- Close-fitting and aerodynamic
- Quick drying fabric
- Lets cool air in, expels hot air
- Elastic, non-slip body-hugging
- UV protection
- 4 pockets



QUICK DRY



BREATHABLE



UV PROTECTION



YKK ZIPPER

Primary Fabric	RideCool 9.
Pockets	Four, including one Invisible zippered pocket.
Closure	Full-length zipper.
Waistband	Anti-slip rear waistband.
Cuffs	RideFlex 3.
Size	S-M-L-XL

E-CJ115					
Measure		S	M	L	XL
Size/cm					
1/2 Bust		40.5	43	45.5	48
Sleeve		24	25	26	27
Length		59.5	62	64.5	67

CLOTHING TECHNOLOGY

Front and Rear Fabric – RideCool 10

A fabric with excellent mechanical elasticity, resilience, breathability, quick drying and UV protection properties. Italian made.

Side Fabric – RideAir 5

This ultralight mesh has a very open structure that promotes great breathability, keeping the body cool and dry. Four-way stretch fabric, its three-dimensional appearance enriches the aesthetics of the garment. Italian made.

Sleeve Fabric – RideFlex 3


This fabric features excellent moisture wicking properties, heat-retarding and heat expulsion characteristics, with the addition of elastic fiber that hugs the body and supports the muscles—eliminating the need for elastic cuffs.

Sweatproof Pocket with Invisible Zipper

A practical sweatproof pocket that keeps your small items clean and dry. Equipped with a smooth-running YKK invisible zipper.

Waistband

A strong, thin and grippy silicon-free band that is breathable and comfortable on the skin. Italian made.



E-CJ114 PRO

JERSEY

- Close-fitting and aerodynamic
- Quick drying fabric
- Lets cool air in, expels hot air
- Elastic, non-slip body-hugging
- UV protection
- 4 pockets



Primary Fabric	RideCool 10.
Secondary Fabric	RideAir 5.
Pockets	Four, including one Invisible zippered pocket.
Closure	Full-length zipper.
Waistband	Anti-slip rear waistband.
Cuffs	RideFlex 3.
Size	S-M-L-XL

E-CJ114				
Measure	S	M	L	XL
Size/cm				
1/2 Bust	41.5	44	46.5	49
Sleeve	24	25	26	27
Length	62	64.5	67	69.5



Color Options



E-CJ113 **PRO**
JERSEY

- Close-fitting and aerodynamic
- Moisture-wicking fabric
- Lets cool air in, expels hot air
- Elastic, non-slip body-hugging
- UV protection
- 2 pockets



Primary Fabric	RideCool 3.				
Secondary Fabric	RideAir 2, RideCool 2.				
Pockets	Two, including one invisible zippered pocket.				
Closure	9" zipper.				
Waistband	Anti-slip rear waistband.				
Cuffs	RideFlex 3.				
Size	S - M - L - XL - XXL.				

E-CJ113					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Bust	41.5	44	46.5	49	51.5
Sleeve	21	22	23	24	25
Length	63.5	66	68.5	71	73.5




Color Options



E-CJ112 **PRO**
JERSEY

- Close-fitting and aerodynamic
- Moisture-wicking fabric
- Lets cool air in, expels hot air
- Elastic, non-slip body-hugging
- UV protection
- 4 pockets



Primary Fabric	RideCool 3.				
Secondary Fabric	RideAir 2, RideCool 2.				
Pockets	Four, including one zippered pocket.				
Closure	Full-length zipper.				
Waistband	Anti-slip rear waistband.				
Cuffs	RideFlex 3.				
Size	S - M - L - XL - XXL.				

E-CJ112					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Bust	41.5	44	46.5	49	51.5
Sleeve	21	22	23	24	25
Length	63.5	66	68.5	71	73.5



Color Options



E-CJ97-RD

E-CJ97 **EXPERT**
JERSEY

- Moisture-wicking fabric
- Lets cool air in, expels hot air
- Elastic, non-slip body-hugging
- 4 pockets



Primary Fabric	RideCool 2.
Secondary Fabric	RideAir 3.
Pockets	Four, including one zippered pocket.
Closure	Full-length zipper.
Waistband	Anti-slip band.
Size	S - M - L - XL - XXL.

E-CJ97					
Measure	Size/cm				
1/2 Bust	44.2	46.7	49.2	51.7	54.2
Sleeve	32	34	36	38	40
Length	63.5	66	68.5	71	73.5



Color Options




E-CJ76-RD



E-CJ76-WH




RIDE ELITE



RIDE AIR

On back to dispel heat and moisture.



Retaining ring for headphone cord.

Sweatproof pocket.

Size S - M - L - XL - XXL.

E-CJ76					
Measure	Size/cm				
1/2 Bust	44.3	46.8	49.2	51.8	54.3
Sleeve	32.5	34.5	36.5	38.5	40.5
Length	63.5	66	68.5	71	73.5

E-CJ76 **PRO**
JERSEY

An extremely comfortable high performance short sleeve jersey. For hot, humid weather, or all seasons use.

This jersey is close-fitting and aerodynamic. A full length zipper makes getting it on and off a breeze, and is great for ventilation control. It has 4 convenient pockets, including a sweatproof, zippered pocket that keeps your phone dry. It also features a retaining ring to keep headset cord in place, and an anti-slip waistband.



Color Option



E-CJ84-GR



RIDE COOL 2



RIDE AIR 2

On back to dispel heat and moisture.

E-CJ84 **EXPERT**

JERSEY

Close-fitting and aerodynamic jersey made from breathable, moisture and heat dispelling materials. A full length zipper makes getting it on and off a breeze, and is great for ventilation control. It has 4 convenient pockets, including a zippered pocket. It also features an anti-slip rear waistband. For all seasons use.

- Anti-slip rear waistband
- Full length zipper



Fabric RideCOOL 2, RideAir2.
Size S - M - L - XL - XXL.

E-CJ84					
Measure	Size/cm				
1/2 Bust	44.2	46.7	49.2	51.7	54.2
Sleeve	32	34	36	38	40
Length	63.5	66	68.5	71	73.5



Sweatproof pocket.



RIDE COOL 2



RIDE AIR 2

On back to dispel heat and moisture.

E-CJ86-GR/BK **EXPERT**
JERSEY


Close-fitting and aerodynamic jersey made from breathable, moisture and heat dispelling materials. A full length zipper makes getting it on and off a breeze, and is great for ventilation control. It has 5 convenient pockets, including two sweatproof, zippered pocket. It also features an anti-slip rear waistband. For all seasons use.

- Sweatproof, zippered pocket
- Anti-slip rear waistband
- Full length zipper



Fabric RideCOOL 2, RideAir2.
Size S - M - L - XL - XXL.

E-CJ86-GR/BK					
Measure	Size/cm				
1/2 Bust	44.2	46.7	49.2	51.7	54.2
Sleeve	32	34	36	38	40
Length	63.5	66	68.5	71	73.5



Anatomic multi-panel design with moisture wicking fabric.

Size S - M - L - XL - XXL.

E-CJ88-BL						
Measure	Size/cm	S	M	L	XL	XXL
1/2 Bust		44.2	46.7	49.2	51.7	54.2
Sleeve		32	34	36	38	40
Length		63.5	66	68.5	71	73.5

E-CJ88-BL EXPERT

JERSEY

- Digital sublimation printing with vivid colors and pattern
- 16" invisible zipper for ventilation
- Sweat wicking polyester fabric keeps skin dry and comfortable
- Raglan sleeves with elastic fabric improves dynamic stretchiness
- Waistband holds garment in position
- Three rear pockets, one with zipper
- Form-fit cutting



E-CJ64 EXPERT

JERSEY

- Moisture-wicking fabric
- Elastic, non-slip body-hugging
- Invisible zipper
- UV protection
- 4 pockets



Size M - L - XL - XXL.

E-CJ64					
Measure	Size/cm	M	L	XL	XXL
1/2 Bust		46.7	49.2	51.7	54.2
Sleeve		34	36	38	40
Length		66	68.5	71	73.5



E-CJ63 EXPERT

JERSEY

- Moisture-wicking fabric
- Elastic, non-slip body-hugging
- Invisible zipper
- UV protection
- 4 pockets



Size L - XL

E-CJ63			
Measure	Size/cm	L	XL
1/2 Bust		49.2	51.7
Sleeve		36	38
Length		68.5	71



E-CJ80L PRO

LONG SLEEVE JERSEY

- Light, Quick Dry-treated polyester with Coolmax and Coolbest II anti-UV reflection
- Liner absorbs sweat rapidly
- 100% polyester mesh provides excellent cooling, and speeds sweat evaporation
- Waterproof inner pocket
- Comfortable silicone-lined waist gripper
- Hidden silicon elastic waistband



Color Option



E-CJ80L-GR

Size S - M - L - XL - XXL.

E-CJ80L					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Bust	44.2	46.7	49.2	51.7	54.2
Sleeve	72	74	76	78	80
Length	63.5	66	68.5	71	73.5



E-CJ111L **EXPERT**

LONG SLEEVE JERSEY

Loose fit free ride jersey (can be worn over armor)

- Moisture-wicking fabric
- UV 40+ protection



Fabric RideCool.
Size S - M - L - XL.

E-CJ111L				
Measure	S	M	L	XL
Size/cm				
1/2 Bust	56.5	59	61.5	64
Sleeve	72	74	76	78
Length	76	78.5	81	83.5



E-CJ110L **EXPERT**

LONG SLEEVE JERSEY

Loose fit free ride jersey (can be worn over armor).

- Moisture-wicking fabric
- UV protection



Fabric RideCool.
Size S - M - L - XL.


E-CJ110L				
Measure	S	M	L	XL
Size/cm				
1/2 Bust	56.5	59	61.5	64
Sleeve	72	74	76	78
Length	76	78.5	81	83.5



MULTIFLEX BIB SHORTS

E-CPC08



3D-contoured Chamois Pad



- Anatomic, seamless
- Multi-density for support and pressure relief
- Central channel relieves pressure on pudendal nerve
- Moisture wicking microfiber
- Perforated for extra heat and moisture dispersal

E-CPC07


3D-contoured Chamois Pad



- Anatomic, seamless
- Multi-density for support and pressure relief
- Central channel relieves pressure on pudendal nerve
- Anti-bacterial, moisture wicking carbon microfiber

E-CPC06

3D-contoured Chamois Pad



- Anatomic, seamless
- Multi-density for support and pressure relief
- Central channel relieves pressure on pudendal nerve
- Microfiber

BIB SHORTS TECHNOLOGY


Highly breathable stretch fabric. No pressure points.

Moisture-wicking, breathable swatch.

Multi-direction stretchability.

Anti-slip band
A strong, thin and grippy silicon-free band that is breathable and comfortable on the skin.

Breathable
Moisture wicking microfiber
Multi-density support
Anatomic, seamless



E-CB020 **ADVANCED** MULTIFLEX BIB SHORTS


Multiflex Bib shorts are constructed of panels with different stretch directions, conforming to the shape, position, and muscular movements of cyclists in motion. This allows support and compression exactly where it is needed, and extra flex where flex is needed, resulting in a more effective and comfortable riding experience.

- 5D-cut durable saddle-shaped spandex



Primary Fabric RideElastan
Color Black
Size S-M-L-XL

CB020					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Waist	27.5	30	32.5	35	37.5
1/2 Hip	30.5	33	35.5	38	40.5
1/2 Bib length	38.3	39.6	40.9	42.2	43.5
1/2 Leg opening	18.5	19	19.5	20	20.5




E-CB017 **EXPERT**
BIB SHORTS

Multiflex Bib shorts are constructed of panels with different stretch directions, conforming to the shape, position, and muscular movements of cyclists in motion. This allows support and compression exactly where it is needed, and extra flex where flex is needed, resulting in a more effective and comfortable riding experience.



Color Black.
Size S - M - L - XL - XXL.

E-CB017					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Waist	27.5	30	32.5	35	37.5
1/2 Hip	30.5	33	35.5	38	40.5
1/2 Bib length	38.3	39.6	40.9	42.2	43.5
1/2 Leg opening	18.5	19	19.5	20	20.5



E-CT14 **ADVANCED**
TRIATHLON SUITS

- Comfortable padding
- Fatlock stitching
- Zipper drawstring



Primary Fabric Polyester and spandex.
Secondary Fabric Nylon and spandex.
Color Black.
Size S - M - L - XL.

E-CT14				
Measure	S	M	L	XL
Size/cm				
1/2 Bust	33.5	36	38.5	41
1/2 Waist	27.5	30	32.5	35
Inner leg length	20	21	22	23
1/2 Leg opening	19	20	21	22



E-CT13 **EXPERT**
TRIATHLON SUITS

- Comfortable fleece padding
- Flatlock stitching
- Zipper drawstring

QUICK DRY BREATHABLE

Primary Fabric Polyester and spandex.
Secondary Fabric Nylon and spandex.
Color Black.
Size XS - S - M - L - XL.

E-CT13					
Measure	Size/cm				
1/2 Bust	31	33.5	36	38.5	41
1/2 Waist	25	27.5	30	32.5	35
Inner leg length	19	20	21	22	23
1/2 Leg opening	18	19	20	21	22



E-CTK01 **EXPERT**
SKINSUIT

- UV protection
- 80% polyester and 20% spandex in a breathable knit for greater comfort.
- Front invisible zipper for easy on/off
- 3D chamois of microfiber fabric for comfort
- Overlock stitched seams
- Elastic on sleeve and bottom for good fit
- Digital color sublimation printing

3D CONTOURED UV PROTECTION BREATHABLE

Size M - L.

E-CTK01		
Measure	Size/cm	
1/2 Bust	45.5	48
1/2 Waist	33.5	36
Sleeve length	33.5	35.5
1/2 Leg opening	17	18



PANTS

Clothing





Color Options



E-CMS006-BK



REMOVABLE LINER
Breathable (elastic mesh provides extra ventilation), Quick-drying, Soft and comfortable

E-CMS006-RD **EXPERT**

CASUAL-STYLE PANTS

- Lightweight and removable liner with 3D chamois
- 3D-contoured chamois pad
- Two zippered side pockets with reflective strips

3D CONTOURED

BREATHABLE

REFLECTIVE

Chamois Pad 3D anatomic, seamless, multi-density for support and pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated for extra heat and moisture dispersal.

Fabric Polyester and spandex.

Color Red, Black.

Size S - M - L - XL.

E-CMS006				
Measure	S	M	L	XL
Size/cm				
1/2 Waist	37.5	40	42.5	45
Inner leg length	33	34	35	36
1/2 Leg opening	28	29	30	31



REMOVABLE LINER
Breathable (elastic mesh provides extra ventilation), Quick-drying, Soft and comfortable

E-CMS005 **EXPERT**

CASUAL-STYLE PANTS

- Adjustable elastic band at the waist
- Lightweight and removable liner with 3D chamois
- 3D-contoured chamois pad
- 2 side pockets and zip thigh pocket

3D CONTOURED

BREATHABLE



Chamois Pad 3D anatomic, seamless, multi-density for support and pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated for extra heat and moisture dispersal.

Fabric Nylon and spandex.

Color Black.

Size S - M - L - XL.

E-CMS005				
Measure	S	M	L	XL
Size/cm				
1/2 Waist	37.5	40	42.5	45
Inner leg length	33	34	35	36
1/2 Leg opening	28	29	30	31



E-CP010 EXPERT

TIGHTS

- For cool, warm or hot conditions
- 5D-cut durable saddle shaped spandex
- Single piece abdomen avoids pressure lines
- 5D contoured chamois pad





Chamois Pad 5D anatomic, seamless, multi-density for support and pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated for extra heat and moisture dispersal (E-CPC08).

Fabric Spandex with flatlock stitched seams.

Color Black.

Size S - M - L - XL - XXL.

E-CP010					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Waist	30	32	34	36	38
Inner leg length	64	67	70	71	72
1/2 Leg opening	11.5	12	12.5	13	13.5



E-CP009 EXPERT

THERMAL TIGHTS

- For cool or cold conditions.
- 5D-cut durable saddle shaped spandex
 - Single piece abdomen avoids pressure lines
 - 5D contoured chamois pad
 - Reflective logo and zipper




Chamois Pad 5D anatomic, seamless, multi-density for support and pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated for extra heat and moisture dispersal (E-CPC08).

Fabric Fleece-lined spandex with flat lock stitched seams.


Color Black.

Size S - M - L - XL - XXL.

E-CP009					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Waist	30	32	34	36	38
Inner leg length	64	67	70	71	72
1/2 Leg opening	11.5	12	12.5	13	13.5



Pressure reducing 2 piece crotch.



Perfect fit 3D cut.



Anatomical leg band with silicon grips.



CHAMOIS

E-CPC06

E-CS48 EXPERT

PANTS

- 5D-cut durable saddle shaped spandex
- Single piece abdomen avoids pressure lines
- Hyper-elastic one piece leg hem provides extra comfort
- Crotch design reduces friction and discomfort



Chamois Pad	3D anatomic, seamless, multi-density for support and pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated for extra heat and moisture dispersal.
Primary Fabric	Spandex with flatlock stitched seams.
Secondary	Fabric RideNon-slip 1.
Color	Black.
Size	S - M - L - XL - XXL

E-CS48					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Waist	28	30	32	34	36
Inner leg length	22	22.5	23	23.5	24
1/2 Leg opening	18.5	19	19.5	20	20.5




Color Options




E-CS31-GY




E-CS31-BL



Pressure reducing 2 piece crotch.



Perfect fit 3D cut.



Anatomical leg band with silicon grips.



E-CPC06

E-CS31 COMP

PANTS


Anatomic, spandex shorts, comfortable for up to 4 hours of riding. These breathable, moisture-wicking shorts feature 3D anatomical cutting, and silicon leg grip swatches. For all seasons use but particularly suited to hot, humid weather.

- 3D-contoured chamois pad
- Pressure reducing 2 piece crotch
- Silicon leg grip swatches
- Fabric Spandex




Size S - M - L - XL - XXL.

E-CS31					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Waist	28	30	32	34	36
Inner leg length	22	22.5	23	23.5	24
1/2 Leg opening	15.5	16.5	17.5	18.5	19.5



Pressure reducing 2 piece crotch.



Perfect fit 3D cut.



Anatomical leg band with silicon grips.



CHAMOIS

E-CPC06

E-CS29 COMP

PANTS

- Breathable sweat wicking composite material
- 3D-cut durable spandex
- Quick Dry-treated polyester
- 5D-cut durable saddle shaped spandex
- Single piece abdomen avoids uncomfortable pressure lines



Size S - M - L - XL - XXL.

E-CS29					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Waist	28	30	32	34	36
Inner leg length	22	22.5	23	23.5	24
1/2 Leg opening	18	19	20	21	22




Color Options




E-CS25-RD




E-CS25-GY




Pressure reducing 2 piece crotch.



Perfect fit 3D cut.



Moisture-wicking, breathable swatch.



5D CHAMOIS

E-CPC08

E-CS25 EXPERT

PANTS


- 5D-cut durable saddle shaped spandex
- Comfortable, flexible non-elastic leg grips.
- Non-elastic spandex improved flexibility and movement
- Single piece abdomen avoids uncomfortable pressure lines
- Crotch design reduces friction and discomfort



Size S - M - L - XL - XXL.

E-CS25					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Waist	28	30	32	34	36
Inner leg length	22	22.5	23	23.5	24
1/2 Leg opening	15.5	16.5	17.5	18.5	19.5





E-CJ106W **EXPERT**



WOMEN'S JERSEY

- Moisture-wicking fabric
- Lets cool air in, expels hot air
- Elastic, non-slip body-hugging
- UV protection
- 4 pockets
- Close-fitting and aerodynamic



Primary Fabric	RideCool 2.				
Secondary Fabric	RideAir 2, RideNon-slip.				
Pockets	Four, including one zippered pocket.				
Closure	Full-length zipper.				
Waistband	Anti-slip rear waistband.				
Cuffs	Ride Non-slip.				
Size	S - M - L - XL - XXL.				

E-CJ106W					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Bust	42	44.5	47	51.5	54
Sleeve	28	29	30	31	32
Length	61	63	65	67	69



E-CJ108W **EXPERT**

WOMEN'S JERSEY

- Moisture-wicking fabric
- Lets cool air in, expels hot air
- Elastic, non-slip body-hugging
- UV protection
- 4 pockets
- Close-fitting and aerodynamic



Primary Fabric	RideCool 8.				
Secondary Fabric	RideAir 2, RideFlex 3.				
Pockets	Four, including one zippered pocket.				
Closure	Full-length zipper.				
Waistband	Anti-slip rear waistband.				
Cuffs	RideFlex 3.				
Size	S - M - L - XL - XXL.				

E-CJ108W					
Measure	S	M	L	XL	XXL
Size/cm					
1/2 Bust	42	44.5	47	51.5	54
Sleeve	19	20	21	22	23
Length	61	63	65	67	69



E-CIV02 **SPORT**

TANK TOP

- Wide shoulder straps
- Scoop neck with racerback
- Stretchy, slim fitting
- Reflective logo

 QUICK DRY

 REFLECTIVE

 AERO RACE FIT

Fabric Polyester and spandex with reflective logo.
Size S - M - L - XL.

E-CIV02				
Measure	S	M	L	XL
Size/cm				
1/2 Bust	33	35	37	39
Length	55.5	58	60.5	63



E-CCIP01 **SPORT**

CASUAL TIGHTS



- Rear pocket
- Form-fitting comfort
- Reflective logo

 QUICK DRY

 REFLECTIVE

Fabric Nylon and spandex with reflective logo.
Color Gray.
Size S - M - L - XL.

E-CCIP01				
Measure	S	M	L	XL
Size/cm				
1/2 Waist	33	35	37	39
Inner leg length	55	56	57	58
1/2 Leg opening	12.5	13	13.5	14



E-CPC17

E-CB018W EXPERT

WOMEN'S MULTIFLEX BIB SHORTS

Multiflex Bib shorts are constructed of panels with different stretch directions, conforming to the shape, position, and muscular movements of cyclists in motion. This allows support and compression exactly where it is needed, and extra flex where flex is needed, resulting in a more effective and comfortable riding experience.



Chamois Pad Conforms perfectly to the female body form, 3D anatomic, seamless, multi-density for support and pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated for extra heat and moisture dispersal.

Fabric RideElastan.

Color Black.

Size S - M - L - XL.

E-CB018W				
Measure	S	M	L	XL
Size/cm				
1/2 Waist	25	27.5	30	32.5
1/2 Hip	30.5	33	35.5	38
1/2 Bib length	37	38.3	39.6	40.9
1/2 Leg opening	18	18.5	19	19.5



E-CPC17

E-CS46W COMP

WOMEN'S PANTS

- 3D-cut durable saddle shaped spandex
- Hyper-elastic one piece leg hem provides extra comfort
- 3D contoured chamois pad



Chamois Pad Conforms perfectly to the female body form, 3d anatomic, seamless, multi-density for support and pressure relief. Central channel relieves pressure on pudendal nerve. Moisture wicking microfiber. Perforated for extra heat and moisture dispersal.

Primary Fabric Spandex with flatlock stitched seams.

Secondary Fabric RideNon-slip 1.

Color Black.

Size S - M - L - XL.

E-CS46W				
Measure	S	M	L	XL
Size/cm				
1/2 Waist	28	30	32	34
Inner leg length	19.5	20	20.5	21
1/2 Leg opening	17	18	19	20



E-JT021 **SPORT**

T-SHIRT

- Cool, breathable polyester and spandex
- Anti-bacterial
- Comfortable



Fabric Polyester and spandex

Size S - M - L - XL - XXL - XXXL.

E-JT021						
Measure	S	M	L	XL	XXL	XXXL
Size/cm						
1/2 Bust	48	50.5	53	55.5	58	60.5
Sleeve	19	20	21	22	23	24
Length	63.5	66	68.5	71	72	72



E-JT020 **SPORT**

T-SHIRT

- Seamless stretch fabric
- Moisture-absorbing



Fabric Seamless, soft knit stretch polyester with mesh ventilation. Moisture-absorbing.

Size S - M - L - XL - XXL - XXXL.

E-JT020						
Measure	S	M	L	XL	XXL	XXXL
Size/cm						
1/2 Bust	48	50.5	53	55.5	58	60.5
Sleeve	19	20	21	22	23	24
Length	63.5	66	68.5	71	72	72



E-JT013 **SPORT**

T-SHIRT

- Cool, breathable polyester and spandex
- Anti-bacterial
- Comfortable, non-stitched rear pocket
- Reflective logo



Size S-M-L-XL-XXL-XXXL.

E-JT013						
Measure	S	M	L	XL	XXL	XXXL
Size/cm						
1/2 Bust	48.5	51	53.5	56	58.5	61
Length	63.5	66	68.5	71	73.5	76


E-JT013W			
Measure	S	M	L
Size/cm			
1/2 Bust	43	45.5	48
Length	60.5	63	65.5




Color Option



E-CJK017-RD



Water and wind resistant.



Breathable mesh.



Reflective elements.



Packs up light and small.

E-CJK017 **EXPERT** JACKET

- Water and wind resistant.
- Breathable mesh on back keeps you dry.
- Elastic cuffs keep wind out.
- Reflective elements add visibility.
- Hood is stored under neckline cover.
- Packs up light and small.
- Durable 30 denier.



E-CJK017				
Measure	S	M	L	XL
Size/cm				
Half chest	52.5	55	57.5	60
Sleeve length	75	77	79	81
CB length, from neck	70	72.5	75	77.5



Color Option



E-SC012-RD

E-SC012-GR **ADVANCED**

SHOE COVERS

- Semi-thermal
- RideFlex fabric
- Minimal seam design
- Aerodynamic
- Breathable
- Kevlar reinforced toe



Fabric RideFlex.
Closure Non-slip zipper.
Cuff Closure Anti-slip silicon band.
Color Lime-green & black, Red & black.
Size S -M - L - XL.


E-SC012					
Measure Size/cm	S	M	L	XL	
EURO	37-39	40-42	43-45	46-48	




Color Option



E-SC009-WH



RIDE FLEX
Breathable RideFlex fabric.



Kevlar reinforced toe.

Fabric RideFlex.
Closure Non-slip zipper.
Cuff Closure Anti-slip silicon band.
Color Red & black, White & black.
Size S -M - L - XL.

E-SC009					
Measure Size/cm	S	M	L	XL	
EURO	37-39	40-42	43-45	46-48	


E-SC009 **ADVANCED**

SHOE COVERS

- Semi-thermal
- RideFlex fabric
- Minimal seam design
- Aerodynamic
- Breathable
- Kevlar reinforced toe







DEODORIZING FIBER
97%
EFFICIENCY



Nylon fiber containing organic material that has excellent deodorizing properties. Non-toxic, non-irritating to the skin and harmless to the environment.

E-BS031 **EXPERT**

SOCKS

These easy to pull on or off, snug socks are highly breathable and will keep your feet cool and dry during heated competition or casual rides.

- Sweat wicking
- Deodorizing
- Durable
- Breathable



Fabric Nylon fiber and spandex.
Size S-M-L



Color Options



E-BS601-RD



E-BS601-BL



E-BS601-WH

E-BS601-BK **COMP**

COTTON SOCKS

- Soft and comfortable
- Breathable
- Durable




Fabric Cotton, nylon and spandex.
Size S - M - L - XL



E-BS640-GY **PRO**
COMPRESSION SOCKS

- Reduces foot swelling and discomfort
- Stimulates blood flow
- Fights edema

Fabric Cotton, nylon and polyester.
Size S - M - L - XL.



E-BS680-BKWH **COMP**
COMBED COTTON SOCKS

- Soft and comfortable
- Breathable
- Durable

Fabric Cotton, polyester and spandex.
Size S - M - L - XL.



E-BS620 **COMP**
COMBED COTTON SOCKS

- Soft and comfortable
- Breathable
- Durable

Fabric Cotton, polyester and spandex.
Size S - L - XL.



E-BS620-WH **COMP**
COMBED COTTON SOCKS

- Soft and comfortable
- Breathable
- Durable

Fabric Cotton, polyester and spandex.
Size S - XL.



E-BS630 **COMP**
COMBED COTTON SOCKS

- Soft and comfortable
- Breathable
- Durable

Fabric Cotton, polyester and spandex.
Size S - M - L - XL.



E-BS430 **EXPERT**
COOLMAX SOCKS

Coolmax fabric is designed to move moisture away from the body and enhance fabric drying rate thus, keeping your feeling cool and dry. Coolmax delivers performance and comfort through the use of proprietary polyester fibers with unique engineered microchannel cross sections and specially engineered two sided, denier gradient fabric made using polyester or nylon yarns.

Size S - M - L - XL.





E-HAT100-RD **SPORT**

CAP

- Curved visor
- Air vents
- Embroidered logo

Color Options



E-HAT100-BK

Fabric 65% Cotton, 35% Polyester.
Size One size fits all.



E-CAP95-WH **EXPERT**

CAP

- Low wind resistance
- Moisture-wicking fabric delivers exceptional comfort
- Fast drying terry cloth sweatband

Color Options



E-CAP95-RD

E-CAP95-BK

E-CAP95-BL



Fast drying terrycloth sweatband

Size One size fits all.



E-AW115 EXPERT

ARM COVERS

For cool, warm or hot conditions.

- UV protection
- Breathable (elastic mesh provides extra ventilation)
- Quick-drying

Fabric Spandex with elastic cuffs.


Color White.

Size S - M - L - XL.



E-AW115					
Measure					
Size/cm	S	M	L	XL	
Length	37.5	39	40.5	42	
Half bicep width	11.5	12.5	13.5	14.5	

Exustar arm warmers provide warmth (or protection from the sun) by turning any short sleeve jersey or top into a long sleeve one. They are easily carried in a pocket or pack until needed.



E-AW112 EXPERT

ARM COVERS

For cool, warm or hot conditions.

- 3D anatomical cut
- UV protection
- Breathable

Fabric Spandex with elastic cuffs.

Color Black.

Size S - M - L - XL.



E-AW112					
Measure					
Size/cm	S	M	L	XL	
Length	37.5	39	40.5	42	
Half bicep width	11.5	12.5	13.5	14.5	



E-AW111-BKWH EXPERT

ARM COVERS

For cool, warm or hot conditions.

- UV protection
- Breathable (elastic mesh provides extra ventilation)
- Sweat-wicking

Fabric Spandex with elastic cuffs.

Color Black with white mesh band.

Size S - M - L - XL.



E-AW111-BKWH					
Measure					
Size/cm	S	M	L	XL	
Length	37.5	39	40.5	42	
Half bicep width	11.5	12.5	13.5	14.5	

E-LW200 COMP

THERMAL LEG COVERS

For cool or cold conditions.

- UV protection
- Breathable
- Reflective logo

Fabric Spandex with elastic cuffs, and zippered ankle.

Color Black.

Size S - L - XL - XXL.



E-LW201 COMP

LEG COVERS

For cool, warm or hot conditions.

- UV protection
- Breathable
- Reflective logo

Fabric Spandex with elastic cuffs, and zippered ankle.

Color Black.

Size S - M - L - XL.







Internal pockets keep contents organized and in place

E-BBU09 **EXPERT**

TOP TUBE BAG

- Water resistant
- Padded compartment
- Detachable inner compartment
- Internal mesh pockets
- Reflective logo

Fabric	Polyester.
Size	19.5 x 6 x 10.5 cm.



Large internal mesh pocket with zipper.

Padded, and ventilated for effective airflow.



luggage trolley sleeve.

E-BSB02 **EXPERT**

CYCLE SHOE CARRY BAG

- Carry your cycle shoes and cycling clothing in this handy luggage trolley compatible bag. Water resistant, padded, and ventilated for effective airflow, this bag is convenient for any cyclist whether travelling or for shoe storage.
- Water resistant
 - Ventilated
 - Padded

Fabric	Large ventilated compartment with moveable divider, large internal mesh pocket with zipper, hand carry strap, shoulder strap, and luggage trolley sleeve.
Size	35 x 28.5 x 12 cm.

BIKE FIT MACHINE

For perfect pairing of cyclist and bicycle.

E-BFM200

In the cycling community, misfitting bikes are one of the most common causes of inefficient performance, discomfort, and injury – and the more you ride a misfitting bike, the greater the problems.

The Exustar bicycle fitting machine makes it easy for a cyclist to try and test a variety of frame and stem sizes, and frame angles before purchasing a bike, thus insuring performance, and comfort in the longterm.

The self-contained, fully-adjustable unit is a tremendous aid to a bike

shop. Not only does the bicycle fitting machine help a bike shop owner provide a better product and service, it potentially means less money tied up in stock as a bike built can be ordered or built after a measurement workout with the fitting machine.

The bicycle fitting machine is best used in conjunction with measuring systems such as Fit Kit.

Supplied with drop bars and flat bars.



Optional equipment



Angle Gauge




E-BFT01
Bike Fit Goniometer




1 Ø460mm Flywheel



2 Seat Tube adjustable




3 Seat Tube angle adjustable




4 Crank adjustable (max 20mm)




5 Brake button




6 Head Tube adjustable (Reach)



7 Head Tube adjustable (Stack)



8 Stem angle adjustable



9 Stem adjustable



10 Angle Gauge



11 Spirit level



12 Optional equipment

BIKE FIT MACHINE

For perfect pairing of cyclist and bicycle.

E-BFM100




Optional equipment



Angle Gauge




E-BFT01
Bike Fit Goniometer



1 Friction Adjustable 2 Seat Tube angle adjustable 3 Crank adjustable (max 20mm)



4 Top Tube adjustable 5 Top Tube adjustable 6 Head Tube angle adjustable



7 Handle Bar adjustable 8 Handle Bar Stem adjustable 9 Seat Tube adjustable



10 Head Tube adjustable 11 Angle Gauge 12 Supplied with drop bars and flat bars.



DISTRIBUTORS
NORTH AMERICA

USA			
J&B Importers 11925 SW 128th Street Miami, Florida, 33186 Tel: 800-666-5000 Web: www.jbi.bike	Olympic Supply Company 7528 North Teutonia Avenue Milwaukee, WI 53209 Tel: 414-461-8380 Web: www.osco.bike	Quality Bicycle Product 6400 W. 105th Street Bloomington, MN 55438 Tel: 952-941-9391 Web: www.qbp.com	North America Cycles 2015 SE 5th Street, Ames, Iowa 50010 Tel: (844) NAC-BIKE Web: www.nacycles.com

LATIN AMERICA

COLOMBIA	ARGENTINA	EI SALVADOR	MEXICO	PERU
Disandina S.A. Calle 80 sur No. 47D - 65 Bodega 108 Urbanizacion Industrial La Holanda Sabaneta, Antioquia, Colombia Tel: 4 444 2404 ext. 202, 221 Fax: 4 288 2825 E-mail 1: cupegui@disandina.com E-mail 2: dpanesso@disandina.com Web: www.disandina.com	PEREYRA Mayorista de bicipartes Alem 670 esq. Omill - 4300 - La Banda - Sgo, Del Estero Tel: 0385 427 2400 Fax: 0385 427 3923 E-mail: ipereyra@pereyramayorista.com.ar Web: www.bicicleteriapereyra.com.ar	Corbes S.A. de C.V. 17 Avenida Sur y 2°. Calle Oriente #48, Santa Tecla Tel: +503 2536 3111 Fax: +503 2536 3100 E-mail: alex@corbes.com.sv Web: www.bicicletascorsario.com	CICLO DISTRIBUTION Av. Vallarta 3085, Vallarta Poniente, Guadalaja, Jal. 44110 Tel: 33 3647 9020 E-mail: ventas@ciclodistribution.mx Web: www.ciclodistribution.mx	RV PRO International S.A.C. Jr. Moquegua 642 - O Lima Tel: 333 3734 Fax: 425 1054 E-mail: rv_prointernational@yahoo.com Web: www.bravo.com.pe

PARAGUAY	COSTA RICA	COSTA RICA	URUGUAY	CHILE
Delta Bikes Paraguay Avda. Adrian Jara c/ Rubio Ñu Shopping Hwu 2 , Local No. 5 Ciudad del Este, Paraguay TEL. 595 61 502833 WhatsApp : +595 983 297865 Facebook : Delta Bikes PY	3-101-683406 S.A RAPTOR BICI-REPUESTOS 200 Norte 25 Este Del Hotel Europa San José, Costa Rica Tel: (506) 2222-3293 FAX: (506) 2221-2390	Distribuidora Ochenta Y Seis S.A. Del Instituto Julio Acosta Garcia 1 km oeste, San Ramon de Alajuela. Tel: (506) 2445 66 69 Fax: (506) 2445 61 85 E-mail: eleon@superpro.ws Web: www.superprobikes.com	Roller Competicion. Lapine S.A Address . 8 de Octubre 4005 (Esq. Silvestre Perez), Motevideo Tel: 02 509 4910 E-mail: lapine@adinet.com.uy	Imvasa S.A. San Pablo #1910 Santiago Tel: 02 449 9300 E-mail: contacto@bianchi.cl Web: www.bianchi.cl

DOMINICAN REPUBLIC	GUATEMALA	ECUADOR
LA BICICLETERIA Condiminio Mirador Sur #488 Tel: 829-236-7865 E-mail: info@labicicleteria.do Web: www.labicicleteria.do	Ciclismo en Guate 8 Av. 2-01 Zona 10 Plaza Apolo local 4 y 7, Guatemala, Guatemala 01010 Tel: +502-2234-6451 E-mail: info@ciclismoenguate.com Web: www.ciclismoenguate.com	EAGLE BIKES SHOP SCC Av Eloy Alfaro Y De Las Higueras Tel:+593 96 393 5705 E-mail: infoeaglebikes@gmail.com Web: www.eaglebikesshop.com

AFRICA

MAURITIUS

Emcar Ltd.
Old Moka road, Bell Village, Port Louis,
Mauritius
Tel: 405 1040
Fax: 212 5952
Web: www.emcar.mu

EUROPE

AUSTRIA / GERMANY / HUNGARY

Messingschlager GmbH & Co. KG
Hassbergstrasse 45,
96148 Baunach
Tel: 095 44 94 44 63
Fax: 095 44 64 44 963
E-mail: bf@messingschlager.com
Web: www.exustar.messingschlager.com
Web: www.messingschlager.com

DENMARK

Cykelpartner.dk.ApS
Industrivej 9, 7870 Roslev
Tel: +45 39 40 31 31
E-mail: info@cykelpartner.dk
tj@cykelpartner.dk
Web: www.cykelpartner.dk

DENMARK

Cykelgear A/S
Industrivej 5, 9575 Temdrup
E-mail: info@cykelgear.dk
Web: www.cykelgear.dk

ITALY

Mandelli S.p.a.
Via Tommaso Grossi 5
20841 Carate Brianza (MB)
Tel: +39 0362 1797800
Fax: 0362 1797850
E-mail : info@mandelli.net
Web: www.mandelli.net

NORWAY

Norgaard Sport As
C/O Birk Sport
Løxaveien 19
1351 Rud
Org Nr: 923 950 591

CZECH REPUBLIC

Schindler, s.r.o.
Slezská 101/112
747 27 Kobčice
tel.: +420 728 298 072
E-mail: info@schindler.cz
Web: www.schindler.cz

SLOVAKIA

Schindler, s.r.o.
Slezská 101/112
747 27 Kobčice
tel.: +420 728 298 072
E-mail: info@schindler.cz
Web: www.schindler.cz

SWITZERLAND

Tekno Parts Ltd
Keltenstrasse 19, 2563 Ipsach.
Tel: 032 332 84 60
Fax: 032 332 84 61
E-mail: info@teknoparts.ch
Web: www.teknoparts.ch

GREECE

TZORTZOPOULOS I. Ltd
Kallirrois 71
117 43 Neos Kosmos - Athens
Hellas (Greece)
Tel. +30 210 9241108
Email: yannis@tzortzopoulos.gr
Web: www.tzortzopoulos.gr

ASIA PACIFIC

MALAYSIA

Ngee Cycle Trading Sdn Bhd
No.9, Jalan TSB 1, Taman Industri Sg.
Buloh, 47000 Petaling Jaya, Selangor,
Darul Ehsan MALAYSIA
Tel: +603 6141 2564/ +603 6151 2119
Fax: +603 6151 9115
E-mail: info@ngeecycle.com

HONG KONG

Wun Pang Bicycle Company Limited
Shop No.5 G/F, 16 Hi Yip Street, Yuen
Long, N. T.
Tel: 2476 4545
Fax: 2479 1879
E-mail: sales@wunpangbicycle.com
Web: www.wunpangbicycle.com

SOUTH KOREA

Comet Bicycle Co., Ltd.
516-1 Shinwolli Chowolup
Kwangjusi Kyounggid0464864 Korea
Tel: 031 795 8357 & 031 795 8358
Fax: 031 795 8359
E-mail: hckim@cometbicycle.com
Web: www.cometbicycle.com

PHILIPPINES

Bikeone Cycle
Allarey cor,Lakandula St, Brgy.
7, Lucena City
Quezon,Philippines 4301
Tel: +63-9275125465
E-mail: cho@bikeonecycle.com
Web: www.bikeonecycle.com

INDIA

Verdant Outdoor Sports World
Private Limited
The Bike Store
Door No.35/1688/A 2,
JN International Stadium Link Road,
Palari vattom, Kochi, Kerala 682025
India
Tel : +91 484 4024424
Mob: +91 9746400973
E-mail: biker@thebikestore.in

Web: www.thebikestore.in

THAILAND

La Bicyde (Thailand) Co., Ltd
58 Moo 2, Oam-yai, Sampran,
Nakompathom 73160 Thailand
Tel: 66-2-819-4488
Fax: 66-2-812-6685
E-mail: AFM@la-bicycle.com
Web: www.infinite-cycling.com
Web: www.la-bicycle.com

INDONESIA

PD. Ban Cong Hien
JL. Waspada No.68 Surabaya
Tel: 031 353 8686
Fax: 031 353 7117

ROAD



E-OS2011 CARBON

Carbon fiber with rubber walk pad.



E-OS409

Nylong-fiber composite with TPU walk pad.



E-OS406

Nylong-fiber composite with TPU walk pad.



size:35-48

E-OS403

Nylong-fiber composite with TPU walk pad.



size:49-59

E-OS403 CARBON

Carbon fiber with TPU walk pad.



E-OS402

Nylong-fiber composite with TPU walk pad.



E-OS402K CARBON

Carbon-fiber composite with TPU walk pad.

MTB



E-OS303

Nylong-fiber composite with TPU walk pad.



E-OS303K CARBON

Carbon-fiber composite with TPU walk pad.



EMP132

E-OS802

Rubber, with screw-on cleat recess.



EMP131

E-OS102

Rubber, with screw-on cleat recess.



E-OS808

EVA with rubber tread.



E-OS807

EVA with rubber tread.



E-OS805

EVA with rubber tread, screw-on cleat recess cover.

MTB



E-OS3011 CARBON

Carbon fiber with rubber walk pad.



E-OS3010

Nylong-fiber composite with rubber walk pad.



E-OS304

Nylong-fiber composite with TPU walk pad.



E-OS306

Nylong-fiber composite with TPU walk pad.

SANDALS



EMP132

E-OS505

EVA with rubber tread, screw-on cleat recess cover.



EMP132

E-OS503

EVA with rubber tread, screw-on cleat recess cover.



EMP133

E-OS502

EVA with rubber tread, screw-on cleat recess cover.



E-OS7011

EVA with rubber tread.